

Lenovo ThinkSystem SR850 V2

Calculated efficiency, optimized
for growth



Optimized for Growth

The Lenovo ThinkSystem SR850 V2 delivers a high performance, reliable, and versatile system that effortlessly tackles the workloads that keep your organization and enabling you to quickly respond to the expansion of your data infrastructure needs.

Built for standard workloads such as general business applications and server consolidation projects, the SR850 V2 also accommodates high-growth areas of your business such as database and virtualization efforts. The versatile design of the system enables you to rapidly upgrade its capabilities with more CPUs, memory, and storage capacity to help you keep pace with growing IT needs.

Intelligently Agile Design

The ThinkSystem SR850 V2 has intelligent design aspects that allow affordable and seamless scalability in a standard x86 server platform to address growing workload areas. The system has the capability to scale from two to four 3rd Generation Intel® Xeon® Processor Scalable family CPUs that offers a simple “pay as you grow” upgrade for both processors and memory, resulting in greater system performance to handle growing next-generation workloads.

The data critical nature of today’s IT environments stresses the data processing capabilities of any modern organization. The high CPU density of the SR850 V2, featuring up to four 3rd Generation Intel® Xeon® Scalable CPUs in just 2U of rack space, provides an efficient use of data center space. Additionally, numerous configuration options including the ability to expand internal storage capabilities, varied I/O connectivity options, and support for Intel® Optane™ Persistent Memory 200 Series suits a wide range of enterprise applications.

Enable Next-Generation Workloads

The combination of up to four 250W 3rd Generation Intel® Xeon® Scalable CPUs configured with a mesh topology combines with the following technologies to provide tremendous value and performance with the SR850 V2:

- Direct connect NVMe storage speeds database response times, reducing latency and eliminating storage as the throughput bottleneck in I/O-intensive applications such as transactional processing, HPC, and Big data applications, providing tight compliance windows for backup and replication and helping improve VM density and migration.

Lenovo

WWW.LENOVO.COM

ThinkSystem



- The latest Intel® Optane™ Persistent Memory 200 Series accelerates performance for in-memory databases and applications, reducing downtime and increasing the availability.
- High I/O bandwidth coupled with a generous number of PCIe expansion slots provides the additional connectivity scalability as your business and workload demands increase.
- One or two (mirrored) 7mm rear drives provide rapid OS boot that's faster and more secure than either USB keys or SD cards, and free up drive bays for data storage.

These are merely a few of the incorporated technologies that create the exceptional performance, scalability, and value needed for enterprise-class workloads, both today and into the future.

Reliability You Can Trust

Because your business depends on your systems, you need servers built for reliability. The ThinkSystem SR850 V2 delivers multiple layers of reliability from the processors up, so you can have the confidence that you're running your workloads on a platform built to stay up and running.

Lenovo servers are so dependable that they continue to be rated the industry's [#1 most reliable](#).

- Enterprise-class CPU reliability, availability, and serviceability (RAS) features
- Predictive Failure Analysis—Identifies a failing component prior to failure, to enable scheduled parts replacement—rather than reacting after a failure—and minimize or avoid downtime. PFA alerts are available for all major components, including CPUs, DIMMs, adapter slots, fans, PSUs, storage devices, and voltage regulators.

- Light path diagnostics—Onboard component LEDs to instantly identify components needing replacement (based on PFA alerts), for faster serviceability and reduced downtime
- TPM 2.0—Secures and authenticates the system to prevent unauthorized intrusion

With reliability and security designed into the system, the SR850 V2 builds on industry-standard technologies to deliver an economical, dependable platform for the most demanding users and applications.

Server Deployment, Management and Security

Lenovo XClarity Controller is the embedded management engine in ThinkSystem servers that is designed to standardize, simplify, and automate foundation server management tasks.

Lenovo XClarity Administrator is a virtualized application that centrally manages ThinkSystem servers, storage, and networking, which can reduce provisioning time up to 95% versus manual operation. Running XClarity Integrator helps you streamline IT management, speed provisioning, and contain costs by seamlessly integrating XClarity into an existing IT environment.

ThinkShield is a comprehensive approach to security designed to secure the data center, from the foundation of your infrastructure to the network's edge and guard against a security breach. ThinkShield protects your business with each offering, from development through disposal.



Specifications


| | |
|--------------------------|---|
| Form Factor | 2U |
| Processors | Two or four 3rd-generation Intel® Xeon® Processor Scalable family CPUs, up to 250W; Mesh topology with 6x UPI links |
| Memory | Up to 12TB of TruDDR4 memory in 48x slots; Memory speeds up to 3200MHz at 2 DIMMs per channel; Supports Intel® Optane™ Persistent Memory 200 Series |
| Expansion | Up to 7x PCIe 3.0 expansion slots Front: VGA, 1x USB 3.1, 1x USB 2.0 Rear: 2x USB 3.1, Serial port, VGA port, 1GbE dedicated management port |
| Internal Storage | Up to 24x 2.5-inch drives; Supports up to 24x NVMe drives (16x with 1:1 connection); 2x 7mm drives for boot. |
| Network Interface | Dedicated OCP 3.0 slot supporting 1GbE, 10GbE or 25GbE |
| Power | 2x Platinum or Titanium hot-swap power supplies; N+N redundancy supported |
| High Availability | TPM 2.0; PFA; hot-swap/redundant drives and power supplies; redundant fans; internal light path diagnostic LEDs; front-access diagnostics via dedicated USB port; optional diagnostic LCD panel |
| RAID Support | Onboard SATA with SW RAID; Support for ThinkSystem PCIe RAID/HBA cards |
| Management | Lenovo XClarity Controller; Redfish support |
| OS Support | Microsoft, Red Hat, SUSE, VMware. Visit lenovopress.com/osig for more information |
| Limited Warranty | 1-year and 3-year customer replaceable unit and onsite service, next business day 9x5; optional service upgrades |

About Lenovo

Lenovo (HKSE: 992) (ADR: LNVGY) is a US\$45 billion Fortune 500 company and a global technology leader in driving Intelligent Transformation. Lenovo's data center solutions (ThinkSystem, ThinkAgile) are creating the capacity and computing power that are changing business and society.

For More Information

To learn more about the ThinkSystem SR850 V2, contact your Lenovo representative or Business Partner or visit: lenovo.com/thinksystem. For detailed specifications, consult the [SR850 V2 Product Guide](#).



© 2022 Lenovo. All rights reserved.

Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. **Warranty:** For a copy of applicable warranties, write to: Lenovo Warranty Information, 1009 Think Place, Morrisville, NC, 27560. Lenovo makes no representation or warranty regarding third-party products or services. **Trademarks:** Lenovo, the Lenovo logo, ThinkAgile, ThinkSystem, TruDDR4, and XClarity® are trademarks or registered trademarks of Lenovo. Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries. Microsoft® is a trademark of Microsoft Corporation in the United States, other countries, or both. Other company, product, or service names may be trademarks or service marks of others. Document number DS0116, published June 18, 2020. For the latest version, go to lenovopress.lenovo.com/ds0116.

