

TPC-H 3TB Benchmark Result for System x3850 X6 Performance Benchmark Result (withdrawn product)

Lenovo posts world record non-clustered TPC-H@3,000GB benchmark performance result.

March 10, 2016 ... Lenovo has published the best performance result and the best price/performance ever on the non-clustered TPC-H benchmark @3,000GB scale. This new result showcases the capability of the Lenovo System x3850 X6 with the latest Intel Xeon E7 processor technology running Microsoft SQL Server 2016.



The TPC Benchmark H (TPC-H) (from tpc.org) is a decision support benchmark that can project performance in a data warehouse environment. It consists of a suite of business oriented ad hoc queries and concurrent data modifications chosen to have broad industry-wide relevance. This benchmark illustrates decision support systems that examine large volumes of data, execute queries with a high degree of complexity, and give answers to critical business questions.

The System x3850 X6 server achieved the following score:

- **969,504.2 QpH @3,000GB** (queries per hour H) at **\$0.72 USD / QpH @3,000GB**. (1)

This score is the best performance score at the TPC-H @3,000GB scale among the non-clustered results, and is 33% faster than the previous #1 result in the non-clustered TPC-H @3,000GB category at roughly 3/4th of the price/performance. (2)

Lenovo also sets a new world record on non-clustered price/performance @3000GB scale. The price/performance score is 37% lower than the previous #1 result in the non-clustered price/performance category. (3)

The x3850 X6 achieved this record level of data warehouse performance using Microsoft SQL Server 2016 Enterprise Edition and Microsoft Windows Server 2012 R2 Standard Edition. The x3850 X6 was configured with Intel Xeon E7-8890 v3 processors at 2.50 GHz (4 processors/72 cores/144 threads) and 3TB of memory. This result highlights a tightly- integrated optimized Microsoft SQL solution on the Lenovo X6 server. The benchmark showcases the ability to process large amounts of data using this solution.

The System x3850 X6 is a 4-socket rack server that delivers maximum performance and availability for business-critical applications and databases.

With system support for up to 72 processor cores, 6TB of system memory, and over >85TB of flash storage, the 3850 X6 not only is known for its leadership performance, but also for its ability to scale in order to power traditional databases as well as new in-memory database and analytics solutions. Now customers can achieve leadership solution performance by virtualizing high performance databases and applications on the same server.

Clients also can realize infrastructure cost savings by hosting multiple generations of technology in an X6 single platform—without compromising performance or capacity. X6 servers help data center leaders avoid “rip and replace.”(4)

X6 platforms are the sixth generation of enterprise X Architecture (EXA) technology and represent more than 15 years of investment and innovation to exceed industry standards.

Results referenced are current as of March 10, 2016. To view all TPC results, visit <http://www.tpc.org>.

(1) The total solution availability for this TPC-H benchmark result is July 31, 2016. See the details for this result here: <http://www.tpc.org/3319>.

(2) The Cisco UCS C460 M4 server achieved a performance of 725,686 QphH @3,000GB and price/performance of \$1.08 USD/QphH @3,000GB using four Intel Xeon E7-8870 v3 processors at 2.50 GHz (4 processors/72 cores/144 threads), Microsoft SQL Server 2014 Enterprise Edition, and Microsoft Windows Server 2012 R2 Standard Edition. Total solution availability of July 14, 2015. Result details are at: <http://www.tpc.org/3315>.

(3) The Lenovo System x3850 X6 server achieved a performance of 700,392 QphH @3000GB and price/performance of \$0.99 USD/QphH @3000GB using four Intel Xeon E7-8870 v3 processors at 2.50 GHz (4 processors/72 cores/144 threads), Microsoft SQL Server 2014 Enterprise Edition, and Microsoft Windows Server 2012 R2 Standard Edition. Total solution availability of May 26, 2015. Result details are at: <http://www.tpc.org/3313>.

(4) When a newer generation of processor and memory technology becomes available, Compute Books can be replaced with newer ones. (All Compute Books must use matching technology.)

Related product families

Product families related to this document are the following:

- [4-Socket Rack Servers](#)
- [Mission Critical Servers](#)
- [TPC-H Benchmark Results](#)

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP0489, was created or updated on March 10, 2016.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP0489>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP0489>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

X Architecture®

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Microsoft®, SQL Server®, Windows Server®, and Windows® are trademarks of Microsoft Corporation in the United States, other countries, or both.

TPC, TPC Benchmark, TPC-H, and QphH are trademarks of Transaction Processing Performance Council.

Other company, product, or service names may be trademarks or service marks of others.