

## What's New - 6 March 2018

### Article

#### ThinkAgile VX Series for VMware vSAN

Lenovo ThinkAgile VX Series appliances are designed to help you simplify IT infrastructure, reduce costs, and accelerate time to value. These offerings are factory-integrated, pre-configured ready-to-go appliances and are based on Lenovo ThinkSystem servers and VMware vSAN Hyper-Converged Infrastructure (HCI) software. The VMware offers a unique, software-defined approach to hyper convergence, leveraging the hypervisor to deliver compute, storage and management in a tightly integrated software stack.

In this update:

- New ThinkAgile VX2320
- New ThinkAgile VX3520-G
- New ThinkAgile VX3720
- New options and drive configurations for:
  - ThinkAgile VX3320
  - ThinkAgile VX7520
  - ThinkAgile VX5520

VX Series



Read more in the following Lenovo Press product guides:

- [Lenovo ThinkAgile VX2320 Appliance](#)
- [Lenovo ThinkAgile VX3320, VX3520-G, and VX3720 Appliances](#)
- [Lenovo ThinkAgile VX5520 Appliance](#)
- [Lenovo ThinkAgile VX7520 Appliance](#)

## DSS-G

Lenovo Distributed Storage Solution for IBM Spectrum Scale (DSS-G) is a software-defined storage (SDS) solution for dense scalable file and object storage suitable for high-performance and data-intensive environments. New DSS-G offerings have now been announced that are based on the new ThinkSystem SR650 servers.

Combined with Lenovo D1224 and D3284 storage enclosures and industry leading IBM Spectrum Scale software, these engineered solutions offer a high performance, scalable building block approach to modern storage needs.

Read more about DSS-G, now based on ThinkSystem SR650 servers, with these Lenovo Press documents:

- [Datasheet](#)
- [Product Guide](#)
- [Interactive 3D Tour](#)

## Server Options

Lenovo also just announced the following new servers options. The links take you to the option product guides.

- [ThinkSystem QLogic QL41262 PCIe 25Gb 2-Port SFP28 Ethernet Adapter](#)
- [ThinkSystem HHL Intel P4500 4.0TB Entry NVMe PCIe 3.0 x4 Flash Adapter](#)
- [New GPU options:](#)
  - ThinkSystem NVIDIA Quadro P600 2GB PCIe Active GPU
  - ThinkSystem NVIDIA Quadro P4000 8GB PCIe Active GPU
  - ThinkSystem NVIDIA Tesla P4 8GB PCIe Passive GPU
  - ThinkSystem NVIDIA Tesla V100 16GB PCIe Passive GPU
  - ThinkSystem AMD Radeon Instinct MI25 16GB PCIe Passive GPU
- NVMe switch adapter
  - ThinkSystem 810-4P NVMe Switch Adapter

In addition, existing options are now supported in additional servers:

- Intel Xeon Scalable Family processors
- Memory options:
  - ThinkSystem 128GB TruDDR4 2666 MHz (8Rx4 1.2V) 3DS RDIMM
  - ThinkSystem 16GB TruDDR4 2666 MHz (2Rx8 1.2V) RDIMM
- Drive options
  - [ThinkSystem U.2 Intel P4500 Entry NVMe PCIe3.0 x4 Hot Swap SSD](#)
  - [ThinkSystem U.2 Intel P4600 Mainstream NVMe PCIe3.0 x4 Hot Swap SSD](#)
  - [ThinkSystem U.2 Intel P4800X 375GB Performance NVMe PCIe 3.0 x4 Hot Swap SSD](#)
  - [PM863a Enterprise Entry SATA 2.5" SSDs for NeXtScale](#)
- 100 Gb Network adapters
  - [Mellanox ConnectX-4 1x100GbE/EDR IB QSFP28 VPI Adapter](#)
- 25 Gb Network adapters
  - [ThinkSystem Intel XXV710-DA2 PCIe 25Gb 2-Port SFP28 Ethernet Adapter](#)
- 10 Gb Network adapters
  - [Emulex VFA5.2 OCe14104B-NX 10 GbE SFP+ PCIe Adapters](#)



- Gigabit Network adapters
  - [ThinkSystem Intel I350 PCIe 1Gb RJ45 and SFP Ethernet Adapters](#)
  - [ThinkSystem Broadcom NetXtreme PCIe 1Gb RJ45 Ethernet Adapters](#)
- Omni-Path Architecture Adapters
  - [Intel OPA 100 Series Single-port HFAs](#)
- Backplane options for specific ThinkSystem 2-socket rack servers
- Nationz Trusted Platform Module v2.0 (for customers in China only)

As well as the option product guides, the following server product guides have also been updated:

- 2U 2-socket rack servers
  - [ThinkSystem SR650](#)
  - [ThinkSystem SR590](#)
  - [ThinkSystem SR550](#)
- 1U 2-socket rack servers
  - [ThinkSystem SR630](#)
  - [ThinkSystem SR570](#)
  - [ThinkSystem SR530](#)
- 4-socket servers
  - [ThinkSystem SR850](#)
  - [ThinkSystem SR860](#)
  - [System x3850 X6](#)
- 4-socket/8-socket servers
  - [ThinkSystem SR950](#)
  - [System x3950 X6](#)
- Dense servers
  - [ThinkSystem SD530](#)
  - [ThinkSystem SD650 water-cooled](#)
- Blade servers
  - [ThinkSystem SN550](#)
  - [ThinkSystem SN850](#)
- Tower server
  - [ThinkSystem ST550](#)

## Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.  
8001 Development Drive  
Morrisville, NC 27560  
U.S.A.  
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP0851, was created or updated on March 6, 2018.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:  
<https://lenovopress.lenovo.com/LP0851>
- Send your comments in an e-mail to:  
[comments@lenovopress.com](mailto:comments@lenovopress.com)

This document is available online at <https://lenovopress.lenovo.com/LP0851>.

## Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®  
NeXtScale  
System x®  
ThinkAgile®  
ThinkSystem®  
TruDDR4

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Other company, product, or service names may be trademarks or service marks of others.