

New Solution for SAP HANA - Lenovo ThinkAgile HX Article

Based on the ThinkSystem SR950, the new Lenovo ThinkAgile HX 4-Socket Solution for SAP HANA delivers world record speed, high availability, and dramatic data center efficiency for SAP HANA workloads in hyperconverged clusters.



Figure 1. ThinkAgile HX Solution for SAP HANA

When to use ThinkAgile HX for SAP HANA

Whether upgrading existing infrastructure or deploying new environments, the Lenovo ThinkAgile HX Series is the optimal certified solution for virtualized SAP applications and associated database landscapes.

As data center infrastructures have become more complex – combining on-premise, cloud, and hybrid technologies – Hyperconverged Infrastructure (HCI) solutions have emerged in recent years to simplify data center resources to a single management suite. To address the need to accelerate access to HCI solutions with long-standing partners SAP and Nutanix, Lenovo offers a hyperconverged system certified by SAP for SAP HANA HCI.

Benefits

By migrating SAP landscapes and SAP HANA workloads from complex, multi-tiered legacy architectures to hyperconverged clusters, customers can enjoy the simplicity, scalability, and cost-savings of hyperconverged infrastructure, which consolidates storage and compute into a single virtual pool with a single, simple management interface.

The ThinkAgile HX Solution for SAP HANA offers improved analytics and decision-making with blazing-fast SAP HANA performance on the SR950. SAP HANA speed, combined with Lenovo uptime and Nutanix simplicity gives you quicker and easier access to your data.

Benefits of the solution include:

- Engineered and optimized for SAP HANA workloads on Lenovo's SR950
- [World-record performance](#) and ultra-reliability of the SR950, married with the dramatic efficiency and cost savings of hyperconverged architectures
- Lenovo factory integrated, validated, and configured with preloaded Nutanix AOS software
- SAP HANA software loaded at customer site
- Lower Total Cost of Ownership for data center facilities cost

Deployment

The ThinkAgile HX Solution for SAP HANA includes deployment of SAP HANA onsite by a Lenovo Professional Services team, plus full SAP solution support by Lenovo's experts. Lenovo's SAP Center of Competence and SAP architects can aid customers in planning their SAP HANA deployments.

Customers can rest assured that the systems they receive are certified and ready for immediate deployment. The solution, configurable only with SAP HANA compatible options, is preloaded with Nutanix software in the Lenovo factory, where it is integrated and validated with best recipe firmware. Ultimately, by relying on Lenovo and Nutanix to deploy SAP HANA, customers can run their SAP HANA workloads with blazing-fast performance, Lenovo uptime, and Nutanix simplicity.

SAP and Lenovo

For years, Lenovo systems have provided differentiating advantages for diverse SAP® application workloads powering the digital economy. Whether your business requires a high-performance data center or a small office, the Lenovo portfolio of x86 servers, storage, and software can help your organization to align and integrate processes, communicate with employees, partners, suppliers, and customers in new ways, improve efficiency, and fully use your IT investment to increase the value of your business.

SAP and Lenovo have enabled several innovative solution offerings including SAP HANA and the companies continue to drive joint innovation to deliver new strategic solutions. Lenovo is a SAP HANA market leader and has shipped over 10,000 systems to customers worldwide.

For more information, read the article [SAP HANA and the Lenovo ThinkSystem SR950 – A Perfect Match](#)

Further reading

For further reading, see these resources

- [SR950 product web page](#)
- [SR950 Product Guide](#)
- [ThinkAgile HX Solution for SAP HANA datasheet](#)
- [ThinkAgile Solutions](#)

This article is one in a series on the ThinkSystem SR950 and SR850 servers:

- [Five Highlights of the ThinkSystem SR950](#)
- [Five Highlights of the ThinkSystem SR850](#)
- [Choosing between Lenovo ThinkSystem SR850 and SR950](#)
- [Workloads for 4-Socket and 8-Socket Servers](#)
- [Usability in the Design of the ThinkSystem SR950](#)
- [The Value of Refreshing Your 4-Socket Servers with the ThinkSystem SR950](#)
- [ThinkSystem SR950 Memory Decisions](#)
- [ThinkSystem SR950 Server Configurations](#)
- [The Value of Refreshing Your 8-Socket Servers with the ThinkSystem SR950](#)
- [Lenovo ThinkSystem SR950 New Options and Features - December 2017](#)
- [ThinkSystem SR950 Performance Leadership](#)
- [Lenovo Servers for Mission Critical Workloads](#)
- [Microsoft and Lenovo ThinkSystem SR950 – A Perfect Match](#)
- [Accelerate Your 4- and 8-Socket Server Refresh Cycle](#)
- [SAP Business Process Applications and Lenovo ThinkSystem SR950 – A Perfect Match](#)
- [ThinkSystem SR950 New Options - March 2018](#)
- [SAP HANA and Lenovo ThinkSystem SR950 – A Perfect Match](#)
- [ThinkSystem SR950 Performance Leadership Continues](#)
- [New Solution for SAP HANA - Lenovo ThinkAgile HX](#)
- [The Advantages of Keeping Mission Critical Workloads On-Premises vs Going to the Cloud](#)
- [SQL Server Migration and Lenovo ThinkSystem SR950](#)

About the author

Randall Lundin is a Senior Product Manager in the Lenovo Infrastructure Solution Group. He is responsible for planning and managing ThinkSystem servers. Randall has also authored and contributed to numerous Lenovo Press publications on ThinkSystem products.

Related product families

Product families related to this document are the following:

- [Nutanix Alliance](#)
- [SAP Alliance](#)
- [SAP HANA](#)
- [ThinkSystem SR950 Server](#)

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2023. All rights reserved.

This document, LP1013, was created or updated on October 18, 2018.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP1013>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP1013>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkAgile®

ThinkSystem®

The following terms are trademarks of other companies:

Microsoft® and SQL Server® are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.