

What's New - November 2018

Article

ThinkSystem Single-Socket Servers

In November, Lenovo announced four new servers, three available world-wide and one available to China customers.

ThinkSystem ST50

The Lenovo ThinkSystem ST50 provides an easily manageable, ideal first server for a small-to-medium-sized business, and remote or branch office, or retail environments looking to increase productivity. A value-optimized motherboard design paired with the latest Intel Xeon E-2100 processors offer an aggressive price point for the ST50 versus high-end desktops, and with higher enterprise-level capabilities than a desktop alternative.

The space-saving form factor and dynamic capabilities of the ST50 make it well suited for day-to-day computing, file management, printing, email, and web serving in distributed environments. Highly efficient fans keep the server cool and reduce noise in an office environment.

Learn more:

- [Datasheet](#)
- [3D Tour](#)
- [Walkthrough video](#)
- [Product Guide](#)



ThinkSystem ST250

The Lenovo ThinkSystem ST250 is a fully-featured, single-socket, easily-managed rackable tower server for the small-to-medium-sized business (SMB) or remote office/ branch office (ROBO) environment.

The ST250 harnesses enterprise-level server power with the next-generation Intel Xeon E-2100 processors in tandem with a wide range of storage options and seamless integration with Lenovo's XClarity management system.

From web serving, system management, and near-side data backup, the ST250 supports several workloads. Intel SGX provides security for blockchain applications.

Learn more:

- [Datasheet](#)
- [3D Tour](#)
- [Walkthrough video](#)
- [Product Guide](#)



ThinkSystem SR250

The Lenovo ThinkSystem SR250 is a single-processor rack server that integrates power, reliability, flexibility, and security in a compact 1U form factor suited for the small-to-medium business.

The SR250 boasts a high price-performance ratio with a combination of high-processing capability and dependability with next-generation Intel Xeon E-2100 processors and support for an array of storage configurations.

It provides the flexibility to handle workloads including web serving, virtualization, entry-cloud and data-analytics applications, while integrated Intel Software Guard Extensions (SGX) secure the SR250 for blockchain applications.

Learn more:

- [Datasheet](#)
- [3D Tour](#)
- [Walkthrough video](#)
- [Product Guide](#)



ThinkSystem SR150 (China only)

Available only to customers in PRC, the Lenovo ThinkSystem SR150 is a value-oriented rack server for the growing small-to-medium-sized business (SMB). It delivers high-performance processing capacity with the latest Intel Xeon E processors, renowned Lenovo reliability, and built-in flexibility in a 1U form factor.

Ideal for web hosting, mail serving, file/print serving, video streaming, and even general purpose IT applications, the SR150 fits the bill for a multitude of workloads.


Learn more:

- [Datasheet](#)
- [3D Tour](#)



ThinkAgile HX7820 and HX7821 for SAP HANA

Lenovo announced the ThinkAgile HX7820 Appliance and HX7821 Certified Node for SAP HANA that are certified by SAP for deploying SAP HANA solutions on hyperconverged infrastructure (HCI) in production environments. The HX7820 and HX7821 for SAP HANA are 4U rack-mount systems that support four processors, up to 3 TB of 2666 MHz TruDDR4 memory, up to 76.8 TB of all flash storage capacity with NVMe PCIe cache acceleration, and network connectivity with 1/10 GbE RJ-45, 10 GbE SFP+, and 10/25 GbE SFP28 ports.



For more information, refer to the following Lenovo Press publications:

- [Lenovo ThinkAgile HX7820 Appliance for SAP HANA Product Guide](#)
- [Lenovo ThinkAgile HX7821 Certified Node for SAP HANA Product Guide](#)
- [ThinkAgile HX Solution for SAP HANA Datasheet](#)

ThinkSystem NE2572O and NE10032O network switches

Announced in November are two new rack switches that support Open Network Install Environment (ONIE), which is open, standards-based boot code that provides a deployment environment for loading certified networking operating systems onto networking devices.



Learn about the switches with these resources:

Lenovo ThinkSystem NE2572O RackSwitch:

- [Datasheet](#)
- [3D Interactive Tour](#)
- [Product Guide](#)

Lenovo ThinkSystem NE10032O RackSwitch:

- [Datasheet](#)
- [3D Interactive Tour](#)
- [Product Guide](#)

ThinkSystem NE0152T and NE0152TO network switches

Also announced in November are two new Gigabit Ethernet rack-mount switches that deliver low-latency, line-rate switching performance and high availability for cloud management environments.



The NE0152T and NE0152TO switches have 48x RJ-45 Gigabit Ethernet fixed ports and 4x SFP+ ports that support 1 GbE and 10 GbE optical transceivers, active optical cables (AOCs), and direct attach copper (DAC) cables. Featuring a small, 1U footprint, these switches are designed for management network and access-layer deployments in data center infrastructures.

For more information, refer to the following Lenovo Press materials:

Lenovo ThinkSystem NE0152T RackSwitch:

- [Datasheet](#)
- [3D Interactive Tour](#)
- [Product Guide](#)

Lenovo ThinkSystem NE0152TO RackSwitch:

- [Product Guide](#)

Related product families

Product families related to this document are the following:

- [SAP Alliance](#)
- [ThinkAgile HX Series for Nutanix](#)
- [ThinkSystem SR150 Server](#)
- [ThinkSystem SR250 Server](#)
- [ThinkSystem ST250 Server](#)
- [ThinkSystem ST50 Server](#)

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP1025, was created or updated on November 27, 2018.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP1025>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP1025>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®
RackSwitch
ThinkAgile®
ThinkSystem®
TruDDR4
XClarity®

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Other company, product, or service names may be trademarks or service marks of others.