

## What's New - January 2019

### Article

#### ThinkSystem SR650 - NVMe-rich configurations

The Lenovo ThinkSystem SR650 is a mainstream 2U 2-socket server with industry-leading reliability, management, and security features, and is designed to handle a wide range of workloads.




Figure 1. ThinkSystem SR650 with 24 NVMe drives

Previously, the server supported up to 12 NVMe drives, however, this month, we announced new configurations with more NVMe drives:

- 16 NVMe drives + 8 SAS/SATA drives
- 20 NVMe drives
- 24 NVMe drives

Learn more about these configurations:

- Paper, *NVMe-Rich Configurations of the ThinkSystem SR650*  
<https://lenovopress.com/LP0904>
- 14-minute walkthrough video  
<https://lenovopress.com/LP0905>
- SR650 Product Guide  
<https://lenovopress.com/lp0644-lenovo-thinksystem-sr650-server>

## ThinkSystem SR670 - New Options

The SR670 is a 2-socket GPU-rich server supporting four double-wide high-performance GPUs. In January, Lenovo added support for SAS drive controllers, SAS drives, an additional GPU and support for Omni Path Architecture.



Figure 2. Front view of the Lenovo ThinkSystem SR670

New options we announced this month:

- New support for an additional processor
  - Intel Xeon Gold 6148 20C 150W 2.4GHz Processor
- New support for Omni Path Architecture
  - Intel OPA 100 Series Single-port PCIe 3.0 x16 HFA, 00WE027
- New support for internal SAS HBAs and RAID controllers
  - ThinkSystem SR670 RAID 930-8i 2GB Flash, 4Y37A16227
  - ThinkSystem SR670 RAID 530-8i PCIe Adapter, 4Y37A16225
  - ThinkSystem SR670 RAID 730-8i 1GB Cache Adapter, 4Y37A16226
  - ThinkSystem SR670 430-8i SAS/SATA HBA, 4Y37A16228
- New support for an external SAS HBA
  - ThinkSystem 430-8e SAS/SATA 12Gb HBA, 7Y37A01090
- New support for SAS HDDs and SSDs
  - ThinkSystem 2.5" 300GB 10K SAS 12Gb Hot Swap 512n HDD, 7XB7A00024
  - ThinkSystem 2.5" 600GB 10K SAS 12Gb Hot Swap 512n HDD, 7XB7A00025
  - ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD, 7XB7A00027
  - ThinkSystem 2.5" HUSMM32 400GB Performance SAS 12Gb Hot Swap SSD, 7N47A00124
  - ThinkSystem 2.5" PM1645 800GB Mainstream SAS 12Gb Hot Swap SSD, 4XB7A13653
  - ThinkSystem 2.5" PM1645 1.6TB Mainstream SAS 12Gb Hot Swap SSD, 4XB7A13654
- New support for GPUs
  - ThinkSystem SR670 AMD Radeon Instinct MI25 16Gb PCIe Passive GPU, 4C57A16224

Read about the new options in the SR670 product guide:

<https://lenovopress.com/lp0923-thinksystem-sr670-server>

## ThinkSystem KVM Switch product guides

Although not new to Lenovo (they were announced July 2018), the ThinkSystem KVM console switches now have product guides to describe the products.

- ThinkSystem Digital 2x1x16 KVM Switch Product Guide  
<https://lenovopress.com/lp1058-thinksystem-digital-2x1x16-kvm-switch>
- ThinkSystem Analog 1x8 KVM Switch Product Guide  
<https://lenovopress.com/lp1057-thinksystem-analog-1x8-kvm-switch>



Figure 3. Lenovo ThinkSystem Digital 2x1x16 KVM Switch (front and rear)

## Related product families

Product families related to this document are the following:

- [ThinkSystem SR650 Server](#)
- [ThinkSystem SR670 Server](#)

## Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.  
8001 Development Drive  
Morrisville, NC 27560  
U.S.A.  
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP1072, was created or updated on January 29, 2019.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:  
<https://lenovopress.lenovo.com/LP1072>
- Send your comments in an e-mail to:  
[comments@lenovopress.com](mailto:comments@lenovopress.com)

This document is available online at <https://lenovopress.lenovo.com/LP1072>.

## Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkSystem®

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Other company, product, or service names may be trademarks or service marks of others.