

# ThinkSystem SR655 Sets World Record with SAP SD Two-Tier Benchmark Result

## Performance Benchmark Result

The Lenovo ThinkSystem SR655 server, using an AMD EPYC 7742 64-core processor running at 2.25 GHz, demonstrates best performance in the industry with the SAP SD 2-tier standard application benchmark.

Lenovo announces a world record result on Microsoft Windows for the two-tier SAP Sales and Distribution (SD) standard application benchmark.

The result was achieved on the Lenovo ThinkSystem SR655, configured with one AMD EPYC 7742 processor, using IBM Db2 10.5 and SAP enhancement package 5 for the SAP ERP application release 6.0.



Lenovo delivered the following certified result (1):

- **Number of SAP SD benchmark users: 31,650**

Throughput:

- Fully processed order line items per hour: 3,477,330
- Dialog steps per hour: 10,432,000
- SAPS: 173,870
- Average database request time (dialog/update): 7 ms / 16 ms

Configuration of the central server:

- Lenovo ThinkSystem SR655
- Processor: One AMD EPYC 7742 processor, 64 cores, 240W, 2.25 GHz core frequency
- Cache: 64 KB L1 cache and 512 KB L2 cache per core, 256 MB L3 cache per processor
- 512 GB main memory

Software platform:

- Operating system, central server: Microsoft Windows Server 2016 Datacenter
- RDBMS: IBM Db2 10.5
- SAP Business Suite software: SAP enhancement package 5 for SAP ERP 6.0

Results referenced are current as of September 30, 2019. For the latest SAP benchmark results, visit: <https://www.sap.com/about/benchmark.html>.

(1) This benchmark fully complies with the SAP Benchmark Council regulations and has been audited and certified by SAP SE, [Certification number: 2019049](#). The benchmark was performed at the Lenovo Data Center Performance Lab in Research Triangle Park, NC, USA, by Lenovo engineers.

## About the ThinkSystem SR655

The Lenovo ThinkSystem SR655 is a 1-socket 2U server that features the AMD EPYC 7002 "Rome" and AMD EPYC 7003 "Milan" families of processors. With up to 64 cores per processor and support for the PCIe 4.0 standard for I/O, the SR655 offers the ultimate in single-socket server performance. With up to 128 PCIe lanes, the server is ideal for workloads that can take advantage of GPU processing and high-performance NVMe drives.

ThinkSystem SR655 is a multi-GPU optimized rack server, with support for up to 6 single-wide GPUs providing 200% more workload acceleration in AI, SDI and VDI instances. Capacity for up to 32x 2.5" low-latency NVMe drives that pairs well with the demands of low-latency, high-bandwidth storage such as clustered SAN solutions and software-defined storage. Eight PCIe Gen4 slots offer 2x faster I/O and support for 16 DIMMs with 2TB of DDR4 memory capacity ensure the SR655 is ideal for high performance database applications.

## About SAP SD

SAP SD benchmark is a test for standard sale and distribution business components on SAP ERP, which is indicative of the performance of the application and database on a specific hardware environment. For more information about the benchmark, go to <https://www.sap.com/about/benchmark/appbm/erp.html>.

## Learn more

To learn more about SAP solutions on Lenovo servers visit the following page:

<https://www.lenovo.com/us/en/data-center/solutions/sap/>

To learn more about the Lenovo ThinkSystem SR655 server, visit the SR655 product web page:

<https://www.lenovo.com/us/en/data-center/servers/racks/ThinkSystem-SR655-Server/p/77XX7SRSR75>

## Related product families

Product families related to this document are the following:

- [1-Socket Rack Servers](#)
- [IBM Alliance](#)
- [IBM Db2](#)
- [SAP SD Benchmark Results](#)
- [SAP Alliance](#)
- [ThinkSystem SR655 Server](#)

## Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.  
8001 Development Drive  
Morrisville, NC 27560  
U.S.A.  
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2022. All rights reserved.

This document, LP1240, was created or updated on October 16, 2019.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:  
<https://lenovopress.com/LP1240>
- Send your comments in an e-mail to:  
[comments@lenovopress.com](mailto:comments@lenovopress.com)

This document is available online at <https://lenovopress.com/LP1240>.

## Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkSystem

The following terms are trademarks of other companies:

Microsoft®, Windows Server®, and Windows® are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.