


ThinkAgile HX7821 Certified Node Sets World Record with New SAP BWoH Benchmark Result

Performance Benchmark Result

Lenovo ThinkAgile HX7821 Certified Node using Intel Xeon Platinum 8280L processors delivers world record performance for all three KPIs for SAP BW edition for SAP HANA Standard Application Benchmark Version 3 with 24.7 billion initial records in a scale-out configuration (1).



Enterprises running large systems on SAP HANA can benefit from fully scalable and optimized infrastructure in the data center. SAP BW, edition for SAP HANA benchmark on ThinkAgile HX7821 Certified Node demonstrates that they can provide the headroom for fast growth in data volumes used by systems running on SAP HANA. Data growth can easily be accommodated with additional capacity and scalable performance when required with fast to setup and easy to manage SAP-certified ThinkAgile HX7821 infrastructure.

The ThinkAgile HX7821 Certified Node for SAP® BW edition for SAP HANA Standard Application Benchmark Version 3 comprised of three nodes (1 Master node, 2 slave nodes) each configured as follows:

- Lenovo ThinkAgile HX7821 configured with four Intel Xeon Platinum 8280L Processors, 2.70 GHz, 64 KB L1 cache and 1024 KB L2 cache per core, 38.5 MB L3 cache per processor, 112 total cores / 224 total threads, 6,144 GB DRAM
- Nutanix AHV 20170830
- SUSE Linux Enterprise Server 12 SP4
- SAP HANA 2.0
- SAP NetWeaver 50
- One VM per node with 168 vCPUs and 4.5 TB DRAM

The benchmark consists of three phases and the ThinkAgile HX7821 certified node achieved the following performance results (1):

- **Phase 1: Data load phase = 16,946** (Runtime of last Data Set in seconds)
- **Phase 2: Query throughput phase = 2,514** (Query Executions per Hour)
- **Phase 3: Query runtime phase = 181** (Total Runtime of complex query phase in seconds)

This world record for all three KPI results show that the Lenovo ThinkAgile HX7821 Certified Node offers a significant performance advantage compared to other vendors.

Results referenced are current as of July 13, 2020. For the latest SAP BW edition for SAP HANA Standard Application Benchmark Version 3 results, visit: <https://www.sap.com/dmc/exp/2018-benchmark-directory/#/bwh>.

(1) This benchmark fully complies with the SAP Benchmark Council regulations and has been audited and certified by SAP SE ([certification number 2020026](#)). Details can be obtained from Lenovo and SAP. The benchmark was performed at the Lenovo Data Center Performance Lab in Walldorf, Germany, by Lenovo engineers. Configuration: 3 ThinkAgile HX7821 Certified Nodes each configured with 4 processor / 224 cores / 448 threads, Intel Xeon Platinum 8280L processors, 2.70 GHz, 64 KB L1 cache and 1024 KB L2 cache per core, 38.5 MB L3 cache per processor, 6,144 GB DRAM.

About the ThinkAgile HX7821 Certified Node

Lenovo ThinkAgile HX Certified Nodes are designed for deploying industry-leading hyperconvergence software from Nutanix on Lenovo enterprise platforms that feature the second generation of the Intel Xeon Processor Scalable Family (Xeon SP Gen 2).

The ThinkAgile HX Certified Nodes deliver fully validated and integrated Lenovo hardware and firmware, certified and preloaded with Nutanix software. Nutanix brings the benefits of web-scale technologies to enterprise applications through enterprise storage, data protection, infrastructure resilience, management and analytics, and security.

The ThinkAgile HX7821 is a 4U rack-mount certified node that supports four processors, up to 6 TB of TruDDR4 memory with up to 2933 MHz memory speeds, 16x SAS/SATA and 8x AnyBay SFF hot-swap drive bays with an extensive choice of NVMe PCIe, SAS, and SATA SSDs and SAS HDDs, and flexible network connectivity options with 1/10 GbE RJ-45, 10 GbE SFP+, 10/25 GbE SFP28, and 25/40 GbE QSFP+ ports.

Several common uses for the ThinkAgile HX7821 Certified Node that is optimized for high-performance workloads include SAP HANA, e-mail and collaboration, and workload-balancing clusters.

About the SAP BW edition for SAP HANA Benchmark

The SAP BW, edition for SAP HANA Standard Application Benchmark, Version 3, is the latest addition to the list of benchmarks for SAP Business Warehouse. It utilizes the capabilities of SAP HANA to process the benchmark workload. Allowed data volumes are a multiple of 1.3 billion initial records and can be run in single-node and multi-node setups. This benchmark was released in July 2018.

The benchmark scenario represents typical mid-size customer scenario and volumes for SAP BW running on SAP HANA. The benchmark simulates a variety of users with different analytical requirements and measures the key performance indicator (KPI) relevant to each of the three benchmark phases.

The three benchmark phases are as follows:

1. Data load phase, testing data latency and load performance
2. Query throughput phase, testing query throughput with moderate complex queries
3. Query runtime phase, testing the performance of running very complex queries

For more information about the benchmark, go to <https://www.sap.com/about/benchmark.html>.

Learn more

To learn more about business warehouse and data analytics solutions for SAP applications running on Lenovo Servers visit, <https://www.lenovo.com/us/en/data-center/solutions/sap/> or contact your Lenovo Customer Representative.

To learn more about the Lenovo ThinkAgile HX7821 Certified Node, see the following web pages:

- ThinkAgile HX Solution for SAP HANA Datasheet:
<https://lenovopress.com/datasheet/ds0068-thinkagile-hx-series-for-sap-hana>
- ThinkAgile HX7821 Product Guide:
<https://lenovopress.com/lp1134-lenovo-thinkagile-hx7821-certified-node-gen2>

Related product families

Product families related to this document are the following:

- [SAP Alliance](#)
- [SAP BW Benchmark Results](#)
- [ThinkAgile HX Series for Nutanix](#)

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP1359, was created or updated on September 1, 2020.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP1359>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP1359>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

AnyBay®

ThinkAgile®

TruDDR4

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Linux® is the trademark of Linus Torvalds in the U.S. and other countries.

Other company, product, or service names may be trademarks or service marks of others.