

What's New - December 2020

Article

Smarter Way Forward

Unleash your data to make smarter, faster decisions

With Lenovo, you can accelerate and optimize your data management capabilities, enabling smarter and more actionable insights. We provide end-to-end data intelligent solutions to democratize the power of AI and analytics for organizations of all sizes.

Learn more at our [Smarter Way Forward](#) launch page.

ThinkSystem DM5100F

The Lenovo ThinkSystem DM5100F Storage Array is a unified, all-NVMe flash storage system that is designed to provide performance, simplicity, capacity, security, and high availability for medium-sized enterprises. Powered by the ONTAP storage management software, the DM5100F delivers enterprise-class storage management capabilities with a wide choice of host connectivity options and enhanced data management features.



Learn about the DM5100F with these resources:

- [Datasheet](#)
- [Product Guide](#)
- [Interactive 3D Tour](#)

ThinkSystem DB720S

The Lenovo ThinkSystem DB720S Gen 7 FC SAN Switch, with its unmatched 64Gbps performance and industry-leading port density, provides a building block that supports data growth, demanding workloads, and data-center consolidation. With a 50% latency reduction compared to the previous generation, the DB720S Switch enables the maximum performance of NVMe storage.



Learn about the DB720S with these resources:

- [Datasheet](#)
- [Product Guide](#)
- [Interactive 3D Tour](#)

ONTAP 9.8

With ONTAP 9.8, Lenovo ThinkSystem DM Series Storage enables robust hybrid cloud data management for all data types — Block, File, and now Object — all from one platform.

Preview: Next Generation HPC servers

Lenovo's new HPC servers drive AI workloads with GPU-optimized servers, and leverage exascale performance. Get a preview of these servers, to be available in 2021.

ThinkSystem SD650-N V2

To capitalize on the performance gains of GPU computing, Lenovo announced the ThinkSystem SD650-N V2 at the Supercomputing SC20 conference. This model adds to our ultra-dense server portfolio and features Lenovo Neptune™ direct-to-node (DTN) liquid cooling. The SD650-N V2 brings Lenovo's Neptune DTN water-cooling technology to a GPU-based system, including four board-mounted NVIDIA A100s in a 1U system, delivering up to 3 petaFLOPS of compute performance in a single rack.

Lenovo Neptune liquid cooling reduces energy consumption by up to 40% while maintaining unprecedented compute power and density. Additionally, the SD650-N V2 is designed with a common board used by air-cooled systems, allowing you to share components across air and water-cooled systems.

- [Datasheet](#)




ThinkSystem SR670 V2

Also, organizations of all sizes are running more complex workloads than ever before. Artificial Intelligence augments analytics, and remote graphics applications are pervasive. For the required performance boost to run these workloads, customers have turned to GPUs in the data center.

The Lenovo ThinkSystem SR670 V2 is a new GPU-rich system that can hold up to eight NVIDIA A100 or T4 GPUs in a single 3U frame. A single ThinkSystem SR670 V2 node delivers up to 100 petaFLOPS of compute performance. By leveraging Lenovo Neptune liquid-to-air heat exchangers, you get the benefits of liquid cooling without adding plumbing.

- [Datasheet](#)



Server drives and flash adapters

This month we expanded the server support of a number of key drives and flash storage adapters. Details of the new server support are in each of these product guides:

- [Lenovo ThinkSystem HDD Summary](#)
 - 12TB, 16TB and 18TB drives now supported in ST250, SR250, and our four AMD-based servers
- [ThinkSystem PM1735 Mainstream NVMe Flash Adapters](#)
 - Adapters now supported in SR570, SR590, SR650, SR645, SR665, SR850, SR850P, SR860, SR950 and SD530
- [ThinkSystem 5210 Entry 6Gb SATA QLC SSDs](#)
 - Drives now supported in SR645 and SR665
- [ThinkSystem PM1643a Entry 12Gb SAS SSDs](#)
 - Drives now supported in SR645 and SR665
- [ThinkSystem PM1645a Mainstream 12Gb SAS SSDs](#)
 - Drives now supported in most of the ThinkSystem server portfolio
- [ThinkSystem Intel P5500 Entry NVMe PCIe 4.0 x4 SSDs](#)
 - Drives now supported in SR645 and SR665
- [ThinkSystem Intel P5600 Mainstream NVMe PCIe 4.0 x4 SSDs](#)
 - Drives now supported in SR645 and SR665
- [ThinkSystem PM1733 Entry NVMe PCIe 4.0 x4 SSDs](#)
 - Drives now supported in SR645 and SR665
- [ThinkSystem PM1733 Entry NVMe PCIe 4.0 x4 SED SSDs](#)
 - Drives now supported in SR645 and SR665
- [Lenovo ThinkSystem SSD Portfolio](#)
 - Updated all server support

The various server product guides have also been updated with this new support.

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP1411, was created or updated on December 8, 2020.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP1411>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP1411>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

Lenovo Neptune®

ThinkSystem®

The following terms are trademarks of other companies:

AMD is a trademark of Advanced Micro Devices, Inc.

Intel® is a trademark of Intel Corporation or its subsidiaries.

Other company, product, or service names may be trademarks or service marks of others.