

What's New - AMD EPYC 7003 "Milan" Offerings Article

Read about the products Lenovo has announced in March 2021.

New AMD EPYC 7003 "Milan" processors



On March 15, Lenovo announced support for the new 3rd generation AMD EPYC "Milan" processors in the ThinkSystem SR665 2U 2-socket rack server and SR645 1U 2-socket rack server.



Figure 1. ThinkSystem SR665

Learn more about these servers with these updated resources:

- ThinkSystem SR665
 - [Datasheet](#)
 - [Product Guide](#)
 - [Interactive 3D Tour](#)
- ThinkSystem SR645
 - [Datasheet](#)
 - [Product Guide](#)
 - [Interactive 3D Tour](#)

Also planned for 2Q/2021 is support for the new EPYC 7003 processors on these ThinkAgile hyperconverged solutions:

- ThinkAgile HX3375 Appliance and HX3376 Certified Node (1U offerings)
 - [HX Series Datasheet](#)
 - [HX Certified Nodes Datasheet](#)
- ThinkAgile VX3575-G, VX5575 and VX7575 Integrated Systems, and ThinkAgile VX7576 Certified Node (2U offerings)
 - [VX Series Datasheet](#)
 - [VX Certified Nodes Datasheet](#)



Figure 2. ThinkAgile HX3375 Appliance and HX3376 Certified Node

Learn more about the Lenovo-AMD partnership on this AMD web page:
<https://www.amd.com/en/campaigns/amd-and-lenovo>

New world record benchmarks

With the launch of the new AMD EPYC 7003 processors, Lenovo has obtained 36 new world records for performance benchmark results using the new processors. Details in the following benchmark reports:

- [SPECcpu on SR645](#)
- [VMmark 3.1 on SR665](#)
- [TPC-H result on SR665](#)
- [TPC-E result on SR665](#)
- [SPECjbb result on SR665](#)
- [1-node SPECmpiM result on SR665](#)
- [2-node SPECmpiM result on SR665](#)
- [3-node SPECmpiM result on SR665](#)
- [4-node SPECmpiM result on SR665](#)
- [5-node SPECmpiM result on SR665](#)
- [6-node SPECmpiM result on SR665](#)
- [1-node SPECmpiL result on SR665](#)
- [SPEC ACCEL OpenACC result on SR665](#)
- [SPEC ACCEL OpenMP result on SR665](#)
- [SPEC ACCEL OpenCL result on SR665](#)
- [SPECCompG result on SR665](#)

Updates to server options

In March, Lenovo announced the following new server options and additional server support for existing options.




Figure 3. ThinkSystem Broadcom 57508 100GbE QSFP56 2-port PCIe 4 Ethernet Adapter

Adapters

New network adapters:

- ThinkSystem Broadcom 57508 100GbE QSFP56 2-port PCIe 4 Ethernet Adapter, 4XC7A08297
<https://lenovopress.com/LP1417>
- ThinkSystem Solarflare X2522-Plus 10/25GbE SFP28 2-Port PCIe Ethernet Adapter, 4XC7A62581
<https://lenovopress.com/LP1432>

Additional server support for existing network adapters

- Now supported in [SR650](#) and [SR630](#):
 - ThinkSystem Broadcom 57454 10/25GbE SFP28 4-port PCIe Ethernet Adapter V2, 4XC7A08316
- Now supported in [SR665](#) and [SR645](#):
 - ThinkSystem Mellanox ConnectX-6 Lx 10/25GbE SFP28 2-Port PCIe Ethernet Adapter, 4XC7A62580
 - ThinkSystem Mellanox ConnectX-6 Lx 10/25GbE SFP28 2-Port OCP Ethernet Adapter, 4XC7A62582
 - ThinkSystem Mellanox ConnectX-6 Dx 100GbE QSFP56 2-port PCIe Ethernet Adapter, 4XC7A08248

New GPU adapter and adapter support:

<https://lenovopress.com/lp0768-thinksystem-gpu-summary>

- New GPU option (currently SR650 only):
 - ThinkSystem NVIDIA Quadro RTX A6000 48GB PCIe Active GPU, 4X67A71310
- Added server support for the A4 GPU (added SR670):
 - ThinkSystem NVIDIA A40 48GB PCIe Gen4 Passive GPU, 4X67A72593
- Added server support for the A100 GPU (added SR860 V2):

- ThinkSystem NVIDIA A100 40GB PCIe Gen4 Passive GPU, 4X67A13135



Figure 4. ThinkSystem NVIDIA Quadro RTX A6000 48GB PCIe Active GPU

SAS/SATA RAID adapters now with Tri-Mode (SAS, SATA and PCIe x1 NVMe) support:

- New Tri-Mode support in [SR645](#) and [SR665](#) with the RAID adapters:
 - ThinkSystem RAID 940-16i 8GB Flash PCIe Gen4 12Gb Adapter for U.3, BDY4
 - ThinkSystem RAID 940-8i 8GB Flash PCIe Gen4 12Gb Adapter for U.3, BGM0
 - ThinkSystem RAID 940-8i 4GB Flash PCIe Gen4 12Gb Adapter for U.3, BGM1
 - ThinkSystem RAID 940-16i 8GB Flash PCIe Gen4 12Gb Internal Adapter for U.3, BGM2

New SE350 options

See the [SE350](#) product guide for these updates:

- New M.2 drive options:
 - ThinkSystem M.2 N600Si 650GB NVMe PCIe 3.0 x4 Non-Hot Swap SSD (Industrial), 4XB7A64190
 - ThinkSystem M.2 N600Si 960GB NVMe PCIe 3.0 x4 Non-Hot Swap SSD (Industrial), 4XB7A64203
 - ThinkSystem M.2 N600Si 1.92TB NVMe PCIe 3.0 x4 Non-Hot Swap SSD (Industrial), 4XB7A64204
- New transceiver support for 1Gb SFP port:
 - SFP 1000Base-T (RJ-45) Transceiver, 00FE333
 - SFP SX Transceiver, 81Y1622
- New transceiver support for 10Gb SFP port:
 - Lenovo Dual Rate 1G/10GB SFP Transceiver, 00MY034
 - Lenovo 10GBaseT SFP+ Transceiver, 7G17A03130
- Additional component:
 - ThinkSystem Enclosure Edge Server - Front Shipping Bracket, 4M17A37283

Additional server components

- New power supply options for [SR850 V2](#):
 - ThinkSystem 750W (230V) v2 Titanium Hot-Swap Power Supply, 4P57A75973
 - ThinkSystem 1100W (230V/115V) v2 Platinum Hot-Swap Power Supply, 4P57A75974
- New GPU power cable option for [SR655](#):
 - ThinkSystem SR655 GPU Cable Kit, 4X97A59853
- New GPU power cable option for [SR860 V2](#):
 - GPU Riser to GPU Power Cable, 190mm, 4X97A76342
- New backplane cable option for [SR665](#):
 - ThinkSystem SR665 Internal HBA/RAID Adapter Cable Kit for Single-CPU system, 4X97A59856
- New backplane for [SR645](#):
 - ThinkSystem 1U 2.5" 10 SAS/SATA Backplane, BHU8

Solid-state drives

In March we announced a new range of Seagate Nytro high-endurance SAS SSDs for ThinkSystem servers:

- Available in 2.5-inch and 3.5-inch hot-swap drive form factor
- Capacities 400GB, 800GB, 1.6TB and 3.2TB
- 800GB drive also available with encryption (SED drive)

For details on these new drives, see the [ThinkSystem Nytro 3732 Performance 12Gb SAS SSD product guide](#)

We also extended support of existing SSDs to additional servers:

- [SR860 V2](#) and [SR850 V2](#):
 - PM1643a Entry SAS drives
 - PM1645a 6.4TB Mainstream SAS drive
 - Kioxia CM6-V Mainstream NVMe drives
 - Intel Optane P4800X 1.5TB Performance NVMe drive
- [SD530](#):
 - Intel Optane P4800X 1.5TB Performance NVMe drive
- [SR665](#) and [SR645](#):
 - Kioxia CM6-V Mainstream NVMe drives
 - Kioxia CM6-R Entry NVMe drives

All new drives and drive support can be found in the [Lenovo ThinkSystem SSD Portfolio](#).

Related product families

Product families related to this document are the following:

- [Drives](#)



Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP1436, was created or updated on April 8, 2021.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP1436>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP1436>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkAgile®

ThinkSystem®

The following terms are trademarks of other companies:

AMD and AMD EPYC™ are trademarks of Advanced Micro Devices, Inc.

Intel® and Intel Optane™ are trademarks of Intel Corporation or its subsidiaries.

TPC, TPC-E, and TPC-H are trademarks of Transaction Processing Performance Council.

SPEC®, SPEC ACCEL®, and SPECjbb® are trademarks of the Standard Performance Evaluation Corporation (SPEC).

Other company, product, or service names may be trademarks or service marks of others.