



# SQL Server 2022 on Lenovo ThinkSystem SR665 V3 with AMD 4th and 5th Gen processors

## Solution Brief

### Data growth challenge and a solution

Information is a crucial asset. Having the right tools to collect and manage critical business data is of paramount importance in a world where businesses of all sizes are flooded with ever-expanding volumes of information at ever-increasing speeds. Businesses must therefore select the database solution that most efficiently matches their requirements. SQL Server Enterprise Edition includes advanced database and business intelligence tools for larger organizations that need a full featured, highly available database solution.

Lenovo Solutions for Microsoft SQL Server 2022 on ThinkSystem SR665 V3 servers are optimized for both Online Transaction Processing (OLTP) and Data Warehouse (DW). This technical brief features Microsoft® SQL Server 2022 running on a high-performance Lenovo dual socket 2U rack mount enterprise server. This server is configured with two 32-core AMD EPYC™ 9334 processors, TruDDR5 4800MT/s memory, and ThinkSystem 2.5" PM1653 drives (from among a variety of storage options), and includes support PCIe® Gen 5.0 I/O. 4th Gen AMD EPYC processors offer up to 128 "Zen 4" cores, high memory bandwidth, and excellent energy efficiency.

The Lenovo ThinkSystem SR665 V3 now also supports the 5<sup>th</sup> Gen AMD EPYC 9005 processors, code named Turin. The 5<sup>th</sup> Gen processors support up to 192 cores, and 6400MHz 256GB TruDDR5 memory DIMMs.

The SR665 V3 server is a storage-dense offering that comes with up to 40 2.5" drives in a variety of front-accessible bays (up to 24), mid bays (8), and rear-accessible bays (8). This server supports up to 32x NVMe drives without oversubscribing of PCIe lanes (1:1 connectivity) or 20x SATA drives using the onboard SATA controller with no additional adapter needed.

## **Business database solutions with faster time-to-value**

Lenovo ThinkSystem SR665 V3 servers are methodically tested and tuned with MS SQL Server 2022 to save you months of configuration, setup, testing, and tuning. These new servers powered by 4th Gen AMD EPYC processors deliver the following benefits compared to servers powered by prior 3rd Gen AMD EPYC processors:

- Increased maximum cores per processor
- Increased “Zen 4” per-core performance
- Support for advanced technologies, such as DDR5 memory, PCIe Gen 5.0, and CXL 1.1
- Improved MS SQL Server performance thanks to the higher core counts, improved per-core performance and advanced technologies, supporting improved host density and more/larger databases per host

### **Highlights**

- Fast time to value with pretested and sized ThinkSystem SR665 V3 hardware configurations
- Simple evaluation, fast and easy deployment, and workload optimized performance
- Database sized solution with optimal compute, memory, storage and networking components
- Optimal TCO through high performance, rapid deployment and advanced hardware

## Microsoft SQL Server 2022

MS SQL Server 2022 includes updates to existing features like Intelligent Query Processing in addition to improved management, platform, and language features.

Note: MS SQL 2022 no longer installs R, Python, and Java runtimes. Manually install any desired custom runtime(s) and packages.

Some of the performance enhancements in SQL Server 2022 include:

- All ColumnStore indexes benefit from enhanced segment elimination by data type
- Concurrent updates to global allocation map pages reduce page latch contention
- Improved buffer pool scan operations on large-memory systems via multiple CPU cores for parallel scans
- Clustered ColumnStore Indices now sort existing data in memory before the index builder compresses the data
- Improved TempDB scaling performance
- Enhanced Shrink database low-priority processing minimizes in-memory OLTP performance impacts

Here are some management improvements:

- Additional Azure® integration
- Link to Azure SQL Managed Instance
- Accelerated Database Recovery (ADR)
- Always On Availability Group enhancements

SQL Server Enterprise Edition delivers comprehensive database capabilities with end-to-end business intelligence, enabling high service levels for mission-critical workloads. A detailed comparison of SQL editions can be found [here](#).

## Lenovo ThinkSystem SR665 V3

The low cost and high performance of Lenovo ThinkSystem SR665 V3 offerings make them ideal for modernizing your legacy MS SQL Server applications. These industry standard servers provide cost effective computing and fast high-density local storage.

Lenovo ThinkSystem SR665 V3 servers offer the performance necessary for bare metal or virtualized MS SQL Servers. The Hyper-V and Storage Spaces Direct technologies built into Microsoft Windows® Server further boost performance. Windows Server also includes native support for technologies such as NVMe storage and Remote Direct Memory Access (RDMA) networking to enable the high levels of performance.

The configurations feature the following main components:

<b>Generation</b>	<b>4<sup>th</sup> Gen Genoa</b>	<b>5<sup>th</sup> Gen Turin</b>
<b>Database Software</b>	SQL Server 2022 Enterprise	SQL Server 2022 Enterprise
<b>Operating System</b>	Window Server 2024	Window Server 2025
<b>Server</b>	SR650 V3	SR650 V3
<b>Processor</b>	AMD EPYC 9334 32 core	AMD EPYC 9355 32 core
<b>Memory</b>	1.5 TB 4800MHz TruDDR5	2.2 TB 5600MHz TruDDR5
<b>DB Storage and TempDB</b>	6x 1.6TB SAS SSD	8x 3.8 TB NVMe
<b>Log Storage</b>	2x 1.6TB SAS SSD	4x 3.8 TB NVMe
<b>OS Storage</b>	2x M.2 480GB SSD	2x M.2 960GB SSD

## Best practices for SQL Server on ThinkSystem SR665 V3

The following best practices will help you implement a high-performance SQL Server Enterprise deployment:

- Set the BIOS UEFI operating mode to **Maximum performance**
- Set the Windows Server power profile to **High performance**
- Use a 64KB NTFS cluster size when formatting the SQL server database and log drives
- Place the MS SQL server database and log files on separate physical drives
- Format the OS and SQL server binary drives with the standard 4KB NTFS cluster size
- TempDB is shared by many processes and users as a temporary working area. The default configuration is suitable for most workloads, but the installation process can help guide your configuration, as described in the [Microsoft TempDB Database documentation](#)
- If the server is dedicated to the MS SQL Server workload, then use either the default dynamic memory management model or follow Microsoft SQL documentation guidelines to manually configure memory options if you need more granular control



Figure 1. Lenovo ThinkSystem SR665 V3

# Performance Testing Details and Results

## HammerDB Configuration

HammerDB is an open-source database transactional and analytics load testing/benchmarking tool for databases. The OLTP workload is based on TPC® Benchmark C (TPC-C), and the Analytics workload is based on TPC Benchmark H (TPC-H). The HammerDB OLTP and Analytics workloads are open source workloads derived from the TPC-C Benchmark Standard and the TPC-H Benchmark Standard, respectively, and as such are not comparable to published TPC-C or TPC-H results, as the results do not comply with the TPC-C and TPC-H Benchmark Standards. The testing described below used HammerDB running on a separate server.

Table 1. TPC-C and TPC-H performance testing details and results

Database tested	MS SQL Server 2022 Enterprise Edition	MS SQL Server 2022 Enterprise Edition
<b>Processors</b>	2x 32-core AMD EPYC 9334	2x 32-core AMD EPYC 9355 Turin
<b>Hardware Configuration</b>	ThinkSystem SR665 V3, 2x AMD EPYC 9334, 1.5 TB memory, ThinkSystem PM1655 SSDs	ThinkSystem SR665 V3, 2x AMD EPYC 9355, 2.2 TB memory, ThinkSystem 3.8 TB NVMe
<b>Benchmarks simulated</b>	TPC-C and TPC-H	TPC-C and TPC-H
<b>Database size: TPC-C</b>	100GB 800 warehouses, distributed over 8 NVMe drives (6x DB, 2x Log)	100GB 800 warehouses, distributed over 12 NVMe drives (8x DB, 4x Log)
<b>Database size: TPC-H</b>	1000GB scale, distributed over 8 NVMe drives (6x DB and tempDB, 2x Log)	1000GB scale, distributed over 12 NVMe drives (8x DB and tempDB, 4x Log)
<b>OLTP run time parameters:</b>		
<b>TPC-C</b>		
Virtual users	150	150
User delay	1 ms	1ms
<b>Analytics run time parameters: TPC-H</b>		
Virtual users	7	7
Scale	1000GB	1000GB
<b>Virtualized OLTP results</b>		
Transactions Per Minute (TPM)	16 million (8 VMs)	14.6 million (8 VMs) Additional testing in progress
<b>Analytics results</b>		
Queries per Hour (QpH)	3805	Results coming soon

## Bill of Materials

Table 2. Bill of Materials

7D9ACTO1WW	Server: ThinkSystem SR665 V3 - 3yr Warranty	1
BLKK	ThinkSystem V3 2U 24 x 2.5" Chassis	1
BREC	ThinkSystem AMD EPYC 9334 32C 210W 2.7GHz Processor	2
BQ29	ThinkSystem SR665 V3 2U High Performance Heatsink	2
BQ3D	ThinkSystem 64GB TruDDR5 4800MHz (2Rx4) 10x4 RDIMM-A	24
2212	Storage devices (custom RAID configuration)	1
BMFT	ThinkSystem RAID 540-8i PCIe Gen4 12Gb Adapter	1
BNW6	ThinkSystem 2.5" PM1655 3.2TB Mixed Use SAS 24Gb HS SSD	8
B8LU	ThinkSystem 2U 8 x 2.5" SAS/SATA Backplane	1
BT7N	ThinkSystem Raid 5350-8i for M.2/7MM SATA Boot Enablement	1
BM8X	ThinkSystem M.2 SATA/x4 NVMe 2-Bay Enablement Kit	1
BQ1Y	ThinkSystem M.2 5400 PRO 480GB Read Intensive SATA 6Gb NHS SSD	2
AUZW	ThinkSystem I350-T4 PCIe 1Gb 4-Port RJ45 Ethernet Adapter	1
BPQV	ThinkSystem V3 2U x16/x16/E PCIe Gen5 Riser1 or 2	1
BLKM	ThinkSystem V3 2U x16/x16/E PCIe Gen4 Riser1 or 2	1
BNFH	ThinkSystem 1100W 230V/115V Platinum Hot-Swap Gen2 Power Supply v3	2
BLL6	ThinkSystem 2U V3 Performance Fan Module	6
B8LA	ThinkSystem Toolless Slide Rail Kit v2	1
BQQ2	ThinkSystem 2U V3 EIA Latch Standard	1
BQ2B	ThinkSystem SR665 V3 MB	1
2302	RAID Configuration	1
BQ31	ThinkSystem MS 2U common Airduct Filler	2
B5WJ	ThinkSystem OCP3 Filler	1
BQ2Z	ThinkSystem 2U MS main Airduct	1
BPKD	ThinkSystem 2U MS 3FH Riser 1&2 Cage w/Label1	1
BLLD	ThinkSystem 2U MS 3FH Riser 1&2 Cage	1
BQ35	ThinkSystem SR665 V3 Absolut-RoW RoT Module6	1

## Why Lenovo?

### Why Lenovo

Lenovo is a US\$70 billion revenue Fortune Global 500 company serving customers in 180 markets around the world. Focused on a bold vision to deliver smarter technology for all, we are developing world-changing technologies that power (through devices and infrastructure) and empower (through solutions, services and software) millions of customers every day.

### For More Information

To learn more about this Lenovo solution contact your Lenovo Business Partner or visit:

<https://www.lenovo.com/us/en/servers-storage/solutions/database/>

#### References:

Lenovo ThinkSystem SR665 V3: <https://lenovopress.lenovo.com/lp1608-thinksystem-sr665-v3-server>

Microsoft SQL Server 2022: <https://learn.microsoft.com/en-us/sql/sql-server/what-s-new-in-sql-server-2022?view=sql-server-ver16>

### Related product families

Product families related to this document are the following:

- [Microsoft Alliance](#)
- [Microsoft SQL Server](#)
- [ThinkSystem SR665 V3 Server](#)



## Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.  
8001 Development Drive  
Morrisville, NC 27560  
U.S.A.  
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© **Copyright Lenovo 2025. All rights reserved.**

This document, LP1740, was created or updated on August 20, 2023.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:  
<https://lenovopress.lenovo.com/LP1740>
- Send your comments in an e-mail to:  
[comments@lenovopress.com](mailto:comments@lenovopress.com)

This document is available online at <https://lenovopress.lenovo.com/LP1740>.

## Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkSystem®

The following terms are trademarks of other companies:

AMD and AMD EPYC™ are trademarks of Advanced Micro Devices, Inc.

Microsoft®, Azure®, Hyper-V®, SQL Server®, Windows Server®, and Windows® are trademarks of Microsoft Corporation in the United States, other countries, or both.

TPC®, TPC Benchmark®, and TPC-C® are trademarks of Transaction Processing Performance Council.

Other company, product, or service names may be trademarks or service marks of others.