



# SQL Server 2022 on Lenovo ThinkAgile MX650 V3 Series

## **Solution Brief**

Deploying hyperconverged infrastructure has become the de-facto standard for organizations looking to modernize their aging infrastructure. Large storage deployments are increasingly being replaced by HCl based solutions for most general-purpose workloads. HCl has proven to deliver better efficiency and price performance in the datacenter. Additionally, customers have been choosing a hybrid approach, migrating certain workloads to the cloud, while keeping other workloads on-premises.

Azure Stack HCI, is Microsoft's HCI solution for customers that wish to run workloads on-premises and extend easily to Azure for hybrid capabilities such as back-up, site recovery, storage, cloud-based monitoring and more.

Azure Stack HCl is a new HCl host operating system from Microsoft, delivered as an Azure service, providing the latest and up-to-date security, performance and feature updates. Azure Stack HCl builds on the foundation of the Microsoft Windows Server Software Defined program and provides a certification path for Storage Spaces Direct solutions.

Lenovo ThinkAgile MX Series (Integrated Systems and Certified Nodes) combine the Storage Spaces Direct technology included in this new host OS, with industry leading Lenovo servers to deliver HCI building blocks that build your infrastructure solutions. Lenovo ThinkAgile MX Integrated Systems map to Microsoft Azure Stack HCI Integrated Systems and ThinkAgile MX Certified Nodes map to Microsoft Azure Stack HCI Validated Nodes.



Figure 1. Lenovo ThinkAgile MX650 V3

Lenovo Solutions for Microsoft SQL Server on ThinkAgile MX650 V3 are optimized for both Online Transaction Processing (OLTP) and Data Warehouse (DW) and are **Accelerated by Intel** offerings. This technical brief features Microsoft SQL Server 2022 running on a high-performance ThinkAgile MX650 V3 servers in a 2-node cluster. The servers are configured with 4th Generation Intel® Xeon® Scalable processors, TruDDR5 4800MHz memory and P5620 NVMe drives among a variety of storage options, including support for the PCIe 5.0 standard devices for I/O. These new processors from Intel offer anywhere from 16 to 60 cores and 16x 4800 MHz DDR5 DIMMs per socket.

The MX650 V3 solution is a storage dense offering, with up to 40 2.5" drive bays in the front, middle and rear of the server and 5 different slot configurations at the rear of the server. Onboard NVMe PCIe ports allow direct connections to 16 NVMe SSDs, which frees up PCIe slots and lowers NVMe solution acquisition costs.

ThinkAgile MX Series are built with certified hardware components, are easily orderable as appliances, and include deployment/update features built into Windows Admin Center. Benefits like these allow businesses to deploy solutions quickly and easily.

# Key benefits

The solution offers the following benefits:

- **Simplicity**: Lenovo XClarity extension integrates with Windows Admin Center from Microsoft, providing a unified single-pane-of-glass simple management experience across infrastructure, virtual machines, software, and hardware.
- **Flexibility:** ThinkAgile MX Nodes offer a wide range of processor, memory, and storage options to provide the maximum flexibility for customizing your infrastructure.
- Faster time to value: In traditional IT, a solution is designed, tested, implemented, and maintained requiring significant time and energy. With HCI, this burden has been transferred to the solution provider. Microsoft created S2D to solve the storage challenge and Azure Stack HCI solutions to ensure robust and viable platforms.

Lenovo has designed, tested, and validated ThinkAgile MX Series offerings to provide the solutions you need quickly and easily with the confidence required, to exceed the stringent requirements of today's IT. The result is that you can quickly deploy a robust, high-performance HCI solution and rapidly solve your IT challenges.

The ThinkSystem MX650 V3 2U server nodes are equipped with two powerful 4th generation Intel® Xeon® Scalable processors, providing extreme reliability, huge internal storage and memory capacity, and a large number of I/O slots, making it an ideal foundation for this solution.

Lenovo and Lenovo partners have a comprehensive portfolio of professional services that supports the full life cycle of your infrastructure. At every stage—from planning to deploying, supporting, optimizing, and end of life—extra help is available to accelerate meeting your business objectives.

#### **Excellent value**

ThinkAgile MX Integrated Systems include Microsoft Azure Stack HCI, and optionally include Windows Server 2022 Datacenter in case you require unlimited guest OS virtual machine licenses. ThinkAgile MX Certified nodes optionally include the Azure Stack HCI software or Windows Server 2022 Datacenter depending on their needs.

The Azure Stack HCI OS license provides the following benefits:

- **Storage Spaces Direct (S2D)**: State of the art software-defined storage from Microsoft with multiple high-performance resiliency options, deduplication, compression and more.
- Windows Admin Center (WAC): A web-based management portal is included with the software at no extra cost. Deployment and update features in WAC make deployment extremely simple and easy to perform. Additionally, Lenovo's XClarity plugin allows you to deploy their hardware as well as software from the same interface, enabling single pane of management.
- **Hyper-V**: Hypervisor is included in the license
- **Software-Defined Networking**: Features such as virtual network encryption, firewall auditing, virtual network peering allows you to get the benefits of a more secure software defined network with Azure Stack HCI.
- Azure Stack HCI is hybrid by design, and you can benefit from native integration with Azure ARC and Azure Monitor and connect to Azure for a variety of Azure hybrid services seamlessly. Fleet management for hosts and VMs allows you to monitor and manage clusters at scale.

# ThinkAgile MX Series

The flexible building block for your Microsoft Azure Stack HCl solutions.

Table 1. ThinkAgile MX650 V3 and MX630 V3 specifications

| Model                     | ThinkAgile MX Series (Integrated Systems & Certified Node) – SR650 V3   | ThinkAgile MX Series (Integrated Systems & Certified Node) – SR630 V3  |  |
|---------------------------|---|--|--|
| Form Factor               | 2U  | 1U   |  |
| Segment                   | Hyperconverged Infrastructure – Microsoft Azure Stack HCl solutions   |  |  |
| Processor                 | 2x 4th generation Intel Xeon Scalable processors, 8-120 cores   |  |  |
| Memory                    | Up to 8TB in 32x slots, using 16GB-256GB DIMMS  |  |  |
| Network                   | 10/25GbE adapters (RoCE or iWARP), 100GbE (RoCE) RDMA network adapters  |  |  |
| Drive Bays                | 16x 3.5", 28x 2.5"  | 4x 3.5", 12x 2.5"  |  |
| Storage: Capacity<br>Tier | Depending on configuration:<br>4-14x HDDs: 1TB to 14TB<br>4-30x SSDs: 480GB to 7.68TB<br>4-24x NVMe: 750GB to 7.68TB                                | Depending on configuration:<br>4-10x HDDs: 600GB to 14TB<br>4-12x SSDs: 480GB to 7.68TB<br>4-12x NVMe: 750GB to 7.68TB<br>4-16x E1.S NVMe: 4TB |  |
| Storage: Cache Tier       | Depending on configuration:<br>2-6x SSDs: 800GB to 6.4TB<br>2-8x NVMe: 750GB to 6.4TB   | Depending on configuration:<br>2-4x SSDs: 800GB to 6.4TB<br>2-4x NVMe: 750GB to 6.4TB  |  |
| Systems<br>Management     | Optional hardware management via Lenovo XClarity and resource management through Microsoft Windows Admin Center                                     |  |  |
| License Options           | Azure Stack HCI Software (Included with Integrated Systems), Windows Server 2022 Datacenter (optional)  |  |  |
| Warranty and<br>Support   | Lenovo 3-year, 4-year, or 5-year hardware warranty; ThinkAgile Advantage Single Point of Support where available (included with Integrated Systems) |  |  |

## Business database solutions with faster time-to-value

Lenovo MX650 V3 systems are methodically tested and tuned to save you months of configuration, setup, testing, and tuning. With these new servers, you get the following advantages:

- Realize 40% better performance for workloads running on 4th generation Intel Xeon Scalable processors than on similar servers equipped with previous generation processors.
- Improve performance of SQL Server solutions with higher core counts, memory bandwidth and PCIe Gen 5 devices
- Improve density and support more and larger databases per host.

## **Highlights**

- Reduce time to value with pretested and sized hardware configurations.
- Simplified evaluation, fast and easy deployment and workload optimized performance.
- Database sized solution with optimal compute, memory, storage and networking components.
- Reduce TCO through better performance, rapid deployment and advanced hardware.
- Optimize performance with pretested ThinkSystem MX650 V3 hardware configurations.

#### Microsoft SQL Server 2022

SQL Server 2022 includes updates to existing features like Intelligent Query Processing in addition to management, platform or language.

Starting with SQL 2022, runtimes for R, Python, and Java are no longer installed with SQL Setup. Instead, install any desired custom runtime(s) and packages.

Performance enhancements in SQL Server 2022 include:

- Improvements have been made to all columnstore indexes that benefit from enhanced segment elimination by data type.
- Concurrent updates to global allocation map pages reduce page latch contention
- Improvements in buffer pool scan operations on large-memory systems by using multiple CPU cores for parallel scans
- Improvements to Clustered ColumnStore Indices to sort existing data in memory before index builder compresses the data
- Support for Intel QuickAssist Technology (QAT) backup compression with software or hardware acceleration
- TempDB performance enhancements for scalability
- Shrink database uses low priority processing to minimize impact on performance
- In-memory OLTP enhancements

Management improvements include:

- Additional Azure integration
- Link to Azure SQL Managed Instance
- Accelerated Database Recovery (ADR)
- Always On Availability Group enhancements

Lenovo ThinkSystem MX650 V3 offerings are ideal for modernizing your legacy SQL Server applications because of their low cost and high-performance capabilities. They are industry standard x86 servers providing cost effective computing and fast high-density local storage.

Lenovo ThinkSystem MX650 V3 servers offer the necessary performance for bare metal or virtualized SQL Servers. High performance can be achieved using Hyper-V and Storage Spaces Direct technology which are built into Windows Server. Several technologies like NVMe storage and Remote Direct Memory Access (RDMA) networking are natively supported in Windows Server to enable the highest levels of performance.

This configuration features the following main components:

- Server: Lenovo ThinkSystem MX650 V3
- Processor: 2x 4th Gen Intel Xeon Platinum 8480+ processors, 56 core
- Memory: 4TB of TruDDR5 4800 MHz memory
- DB Storage: 6x Intel P5620 1.6TB NVMe SSDs
- Log Storage: 2x Intel P5620 1.6TB NVMe SSDs RAID-1
- **OS Storage:** 2x 480GB M.2 SATA SSDs for the operating system (RAID-1)
- Software:
  - Microsoft Windows Server 2022
  - Microsoft SQL Server 2022

This high-performance database solution with Microsoft SQL Server 2022 Enterprise Edition features the latest NVMe SSDs. These SSDs help build a low latency solution for mission critical SQL Server applications.

# Best practices for SQL Server on ThinkSystem MX650 V3

For a high-performance SQL Server solution, implement the following best practices:

- Configure UEFI settings to set Operating mode to Maximum performance.
- Enable Hyper-Threading in the UEFI.
- Configure power profile in Windows Server to "High performance".
- SQL Server database and log drives are recommended to be formatted with 64KB NTFS cluster size.
- SQL Server database and log files should be on separate physical drives.
- The OS and SQL Server binary drives are recommended to be formatted with standard 4KB NTFS cluster size.
- TempDB is shared by many processes and users as a temporary working area and should be configured appropriately. Default configuration will be suitable for most workloads. Use the install experience for guided configuration. More info in Microsoft TempDB Database documentation.
- If the server is dedicated to the SQL Server workload, use the default dynamic memory management model or follow Microsoft SQL documentation guidelines for manually configuring memory options if finer grain control is desired.

# Performance testing and results

This section lists the configuration and HammerDB benchmark result for the MX650 V3.

HammerDB is an open-source load testing and benchmarking tool for databases, available from <a href="http://www.hammerdb.com">http://www.hammerdb.com</a>. It offers tools for testing performance of OLTP and Analytics workloads. The OLTP workload is based on TPC-C benchmark from <a href="http://www.tpc.org">http://www.tpc.org</a>. Hammerdb was run on a separate load servers.

## Server configuration (each server in a two-node cluster):

- ThinkAgile MX650 V3 with 4th Gen Intel Xeon Scalable Processors
- 2x Intel Xeon Platinum 8480+ processors
- 4TB memory
- Intel P5620 NVMe drives
- Microsoft SQL Server 2022 Enterprise Edition

Benchmarks simulated: TPC-C on 8 VMs and 16 VMs

**Database size** (TPC-C): Each VM has a 100 GB database, comprised of 800 warehouses . VMs were distributed equally between the two nodes

## Run time parameters (TPC-C):

Virtual users: 400User delay: 1 ms

The following table lists the benchmark results.

Table 2. HammerDB TPC-C benchmark results

| Metric                        | 8 Virtual Machines | 16 Virtual Machines |
|-------------------------------|--------------------|---------------------|
| New Orders Per Minute (NOPM)  | 3.2 million        | 2.8 million         |
| Transactions Per Minute (TPM) | 7.4 million        | 6.6 million         |

#### Bill of materials

The following table lists the bill of materials (BOM) for the MX650 V3.

Table 3. Bill of materials

| Feature code | Description  | Quantity |
|--------------|--|----------|
| 7D76CTO1WW   | Server: ThinkSystem MX650 V3 - 3yr Warranty                                    | 1        |
| BLKK         | ThinkSystem V3 2U 24 x 2.5" Chassis  | 1        |
| BNOM         | Intel Xeon Platinum 8480+ 56C 350W 2.0GHz Processor                            | 2        |
| BNFC         | ThinkSystem 128GB TruDDR5 4800 MHz (4Rx4) 3DS RDIMM                            | 32       |
| B8NY         | ThinkSystem RAID 940-8i 4GB Flash PCle Gen4 12Gb Adapter                       | 1        |
| BNEG         | ThinkSystem 2.5" U.2 P5620 1.6TB Mixed Use NVMe PCIe 4.0 x4 HS SSD             | 8        |
| B8LU         | ThinkSystem 2U 8 x 2.5" SAS/SATA Backplane                                     | 1        |
| BH8D         | ThinkSystem 2U/4U 8 x 2.5" NVMe Backplane                                      | 1        |
| BM8X         | ThinkSystem M.2 SATA/x4 NVMe 2-Bay Enablement Kit                              | 1        |
| AUUV         | ThinkSystem M.2 128GB SATA 6Gbps Non-Hot Swap SSD                              | 2        |
| B93E         | ThinkSystem Intel I350 1GbE RJ45 4-port OCP Ethernet Adapter                   | 1        |
| BLKM         | ThinkSystem V3 2U x16/x16/E PCIe Gen4 Riser1 or 2                              | 2        |
| BMUF         | ThinkSystem 1800W 230V Platinum Hot-Swap Gen2 Power Supply                     | 2        |
| BLL6         | ThinkSystem 2U V3 Performance Fan Module                                       | 6        |
| BRQ1         | ThinkSystem SR650 V3,SATA CBL,SLx8-SLx4,M.2-M.2(MB),150mm                      | 1        |
| BSYM         | ThinkSystem SR650 V3,PCle4 Cable,Swift8x-SL8x,2in1,PCle 6/5(MB) to BP1/BP2/td> | 1        |
| BETS         | ThinkSystem V3 2U SFF C0 (RAID) to Front 8x2.5" BP1                            | 1        |
| BPE3         | ThinkSystem MX650 V3 MCIO8x to SL8x CBL, PCIe4, 8x2.5 AnyBay, 200mm            | 2        |
| BQ12         | G4 x16/x16/E PCIe Riser BLKM for Riser 1 Placement                             | 1        |
| BQ19         | G4 x16/x16/E PCIe Riser BLKM for Riser 2 Placement                             | 1        |
| 7S0XCTO2WW   | Lenovo XClarity XCC2 Platinum Upgrade  | 1        |
| 5641PX3      | XClarity Pro, Per Endpoint w/3 Yr SW S&S                                       | 1        |
| 1340         | Lenovo XClarity Pro, Per Managed Endpoint w/3 Yr SW S&S                        | 1        |
| QAA8         | MX650 V3 3Y STANDARD   | 1        |

## **Lenovo and Microsoft**

With co-located engineering organizations and a history of technical collaboration, Microsoft and Lenovo consistently deliver innovative joint solutions for the data center. Lenovo's leadership in reliability, customer satisfaction, and performance, combined with Microsoft's leadership in software and cloud services, continues to deliver innovative data center solutions and lower TCO for our joint customers.

## Accelerated by Intel

To deliver the best experience possible, Lenovo and Intel have optimized this solution to leverage Intel capabilities like processor accelerators not available in other systems. **Accelerated by Intel** means enhanced performance to help you achieve new innovations and insight that can give your company an edge.



#### For more information

To learn more about this Lenovo solution contact your Lenovo Business Partner or visit the following pages;

- Reference Architecture: Microsoft SQL Server 2022 on Lenovo ThinkAgile MX with Azure Stack HCI https://lenovopress.lenovo.com/lp1876
- Lenovo database solutions: https://www.lenovo.com/us/en/servers-storage/solutions/database/
- Lenovo ThinkSystem MX650 V3: https://lenovopress.lenovo.com/lp1675-thinkagile-mx650-v3-2u-integrated-system-and-certified-node-4th-generation
- Microsoft SQL Server 2022: https://learn.microsoft.com/en-us/sql/sql-server/what-s-new-in-sql-server-2022? view=sql-server-ver16

## **Authors**

Vinay Kulkarni is a Principal Technical Consultant in the Software and Solutions Development group at ISG, Lenovo. His current focus is on solution architectures in the areas of cloud, database analytics and Al. Vinay has more than 20 years' experience with Lenovo, and IBM. During this time, Vinay has led diverse projects ranging from performance benchmark publications to solutions development, as well as business and technical strategy.

David West is a Lenovo solutions engineer working onsite at the Microsoft Redmond campus. He has 20 years of experience in the industry with a diverse IT background in solutions engineering, testing and performance tuning. He worked with Microsoft and IBM for the past 11 years on enterprise storage performance and tuning projects for SQL Server and Exchange Server. He has authored numerous technical papers on Microsoft enterprise solutions with IBM storage and System x servers. David has also contributed to System x technical architectures for SQL Data Warehouse Fast Track and the Exchange Solution Reviewed Program (ESRP). David is currently working on SQL performance and Microsoft cloud solutions such as Edge Cloud.

Laurentiu Petre is a Lenovo solutions engineer working in Bucharest, Romania. He has over 10 years of experience in the IT field being accustomed with large scale deployments of Microsoft Exchange and other Microsoft products. Before Lenovo, he managed the infrastructure of key players in telecommunications and petroleum exploitation companies. Laurentiu is currently working on SQL performance and Microsoft cloud solutions such as Edge Cloud.

#### **Notices**

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc. 8001 Development Drive Morrisville, NC 27560 U.S.A.

Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

#### © Copyright Lenovo 2024. All rights reserved.

This document, LP1826, was created or updated on September 27, 2023.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at: https://lenovopress.lenovo.com/LP1826
- Send your comments in an e-mail to: comments@lenovopress.com

This document is available online at https://lenovopress.lenovo.com/LP1826.

## **Trademarks**

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <a href="https://www.lenovo.com/us/en/legal/copytrade/">https://www.lenovo.com/us/en/legal/copytrade/</a>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

**AnyBay®** 

ThinkAgile®

ThinkSystem®

**XClarity®** 

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Microsoft®, Azure®, Hyper-V®, SQL Server®, Windows Server®, and Windows® are trademarks of Microsoft Corporation in the United States, other countries, or both.

TPC and TPC-C are trademarks of Transaction Processing Performance Council.

Other company, product, or service names may be trademarks or service marks of others.