

VMware Horizon VDI with Lenovo ThinkAgile VX and ThinkSystem V3 Servers Powered by 5th Gen Intel Xeon Scalable Processors

Solution Brief

Meeting the needs of the mobile workforce

Industries as diverse as healthcare, finance, government, retail, and education have the common requirement to support and secure a mobile workforce. Organizations often have a dispersed workforce using many PCs, laptops, and mobile devices distributed to field offices and remote locations. Virtual Desktop Infrastructure (VDI) is a powerful solution to meet the need for flexibility and global availability of compute resources, while managing data security and compliance on mobile devices.

Lenovo VDI Solutions for VMware Horizon® help your organization meet these business requirements by centrally managing the desktop image within the corporate IT environment rather than at the remote worker or office location. With user data, user profiles and application data files on centralized servers, data center security and manageability are extended down to the user resources. Users have anywhere, anytime, secure access to data and applications from any device, including tablets and smartphones.

Delivering secure desktops while cutting IT costs

VMware Horizon provides a modern platform for secure delivery of virtual Windows and Linux desktops and apps across the hybrid cloud. Horizon delivers an immersive, feature-rich user experience for end users, allowing them to work anytime, anywhere, on any device. It supports a consistently rich end user experience for office workers, mobile workers and even 3D developers across devices, locations, media and connections.

Horizon supports one-to-many provisioning and streamlined management of images, apps, profiles and policies for an agile, lightweight, modern approach that speeds, simplifies and reduces costs. You can rapidly deploy full-featured, personalized virtual desktops and apps in seconds, retain user customization and persona from session to session, and leverage an agile provisioning approach to quickly roll out updates at the next login.

Highlights

- Delivers, protects and manages virtual desktops and apps while providing end users access anytime, anywhere, across any device
- Enables a scalable solution for a few hundred to several thousand users to meet current and future needs
- Supports a wide variety of VDI usage models from typical office users all the way up to high-end 3D rendering power users

Lenovo V3 systems with 5th Gen Intel® Xeon® Scalable Processors

Lenovo ThinkAgile VX Series are hyperconverged systems virtualized with VMware vSAN, providing a seamless solution to run Horizon VDI workloads. Lenovo ThinkSystem servers are bare-metal servers supporting either shared or local storage. Lenovo ThinkAgile systems use ThinkSystem servers as a base platform.

ThinkAgile VX systems arrive with the hardware configured, software installed, and the option of having Lenovo Professional Services to integrate it into your environment. Lenovo ThinkAgile VX Series are available as Integrated Systems or Certified Nodes. Both are factory integrated, pre-configured systems with Lenovo hardware, VMware software, and deployment services. Integrated systems provide a quick and convenient path to implement a hyperconverged solution powered by VMware vSAN and a single point of contact provided by Lenovo for purchasing, deploying, and supporting the solution. VX Certified Nodes come with optional VMware software and services. Lenovo ThinkAgile VX V3 Integrated Systems and Certified Nodes support both vSAN Original Storage Architecture (OSA) and Express Storage architecture (ESA).

ThinkAgile VX integrated systems can also be up and running quickly with a web-based deployment wizard. The deployer can install and configure VMware ESXi, vCenter Server and Lenovo XClarity Integrator and either create or join a cluster.

Lenovo XClarity Administrator offers comprehensive hardware management tools that help to increase uptime, reduce costs and improve productivity through advanced server management capabilities.

Lenovo ThinkAgile VX V3 servers and ThinkSystem V3 servers powered by 5th Gen Intel Xeon Scalable processors provide excellent performance, bandwidth, and speed. Specifications include:

- Up to 64 cores and 128 threads
- Core speeds of up to 3.9 GHz
- Up to 32 DDR5 memory DIMMs, 16 DIMMs per processor, supports 1 DIMM per channel operating at 5600 MT/s or supports 2 DIMMs per channel operating at 4400 MT/s
- Using 256GB 3DS RDIMMs, the server supports up to 8TB of system memory



ThinkAgile VX650 V3



ThinkAgile VX630 V3



ThinkSystem SR650
V3



ThinkSystem SR630
V3

Testing Results

The LoginEnterprise VDI benchmark was performed for the knowledge worker profile with different login intervals and software versions on a single node Lenovo ThinkSystem SR650 V3 with 5th Gen Intel Xeon Scalable processors and a single node SR650 V2 with 3rd Gen Intel Xeon scalable processors. The benchmark stresses the system to 100% CPU utilization and provides VSIMax based on the login time and application response time criteria.

LoginEnterprise Results with Microsoft Office 2019

Intel performed the testing with below configuration and settings.

- LoginEnterprise 5.5.2
- VMware ESXi, 8.0.2, 22380479
- VMware Horizon 8.11.0 build 22629722 v2309
- Microsoft Windows 10 Enterprise Edition
- Microsoft Office Professional Plus 2019, Microsoft Edge
- 2 VCPU + 4 GB Memory + 60 GB disk
- Local NVMe drives - Lenovo ThinkSystem 2.5" U.2 P5620 3.2TB Mixed Use NVMe PCIe 4.0 x4 HS SSD

The table below shows VSIMax values for different test scenarios.

- 5th Gen Intel Xeon Scalable Processors provide ~40% more user density than similar 3rd Gen processors.
- Increasing the login rate reduces the VSIMax due to increase in application response time.
- Office applications response time is well below 2 seconds with 5th Gen Intel Xeon processors.
- Test with 5 login per minute is comparable to peak load scenarios and it increases application latency after CPU reaching above 90% utilization.

Table 1. VSIMax for knowledge workers with Microsoft Office 2019

Login Interval	ThinkSystem SR650 V3 2x Intel Xeon Platinum 8562Y+ 32C 2.8 GHz	ThinkSystem SR650 V2 2x Intel Xeon Platinum 8358 32C 2.6 GHz
2 users per minute	372	258
3.45 users per minute	-	190
5 users per minute	270	-




Figure 1. Microsoft Office 2019 application response time - 5th Gen Intel Xeon Scalable Processors




Figure 2. Microsoft Office 2019 application response time - 3rd Gen Intel Xeon Scalable Processors

LoginEnterprise Results with Microsoft Office 2007

Lenovo performed the testing with below configuration and settings. The tests for the ThinkSystem SR650 V2 baseline was performed with vSphere 7.0 U2 and Horizon View 7.11.

- LoginEnterprise 5.1.2
- VMware ESXi, 8.0.1-21495797
- VMware Horizon 8.9.0 build 21593375 v2303
- Microsoft Windows 10 Enterprise Edition
- Microsoft Office Professional 2007, MicroSoft Edge
- 3 VCPU + 2 GB Memory + 40 GB disk
- Local NVMe drives - Local NVMe drives - Lenovo ThinkSystem 2.5" U.2 P5620 3.2TB Mixed Use NVMe PCIe 4.0 x4 HS SSD

The results show up to a 100% increase in VDI density can be achieved with 5th Gen Intel Xeon Scalable processors over 3rd Gen processors.

Table 2. VSIMax for knowledge workers with Microsoft Office 2007

Login Interval	ThinkSystem SR650 V3 2x Intel Xeon Platinum 8580 60C 2.0 GHz	ThinkSystem SR650 V3 2x Intel Xeon Gold 6548Y+ 32C 2.5 GHz	ThinkSystem SR650 V2 2x Intel Xeon Gold 6338N 32C 2.2 GHz
2 users per minute	598	401	267

The VSIMax values show VDI density at 100% CPU utilization and it is recommended to consider 75% utilization for sizing failover and headroom for peak load scenarios.

End-to-End VDI Solution

From devices to desktops, Lenovo helps businesses access the data needed to make informed decisions. Lenovo offers a wide range of PCs, tablets, thin clients and smartphones for end user access. The portability, versatility and lightweight features of Lenovo thin clients allow for deployment across the organization, especially where space is at a premium.

Why Lenovo

Lenovo is a US\$70 billion revenue Fortune Global 500 company serving customers in 180 markets around the world. Focused on a bold vision to deliver smarter technology for all, we are developing world-changing technologies that power (through devices and infrastructure) and empower (through solutions, services and software) millions of customers every day.

To learn more about Lenovo VDI solutions on ThinkAgile VX and ThinkSystem servers with 5th Generation Intel Xeon Scalable processors, please contact your Lenovo Business Partner or visit:

<https://www.lenovo.com/vdi>

Resources

To learn more about Lenovo ThinkAgile VX650 V3, ThinkAgile VX630 V3, ThinkSystem SR650 V3 and ThinkSystem SR630 V3 systems with 5th Generation Intel Xeon Scalable Processors, please check out the following resources:

Lenovo ThinkAgile VX650 2U Integrated Systems and Certified Nodes - <https://lenovopress.lenovo.com/lp1673.pdf>

Lenovo ThinkAgile VX630 1U Integrated Systems and Certified Nodes - <https://lenovopress.lenovo.com/lp1672.pdf>

Lenovo ThinkSystem SR650 V3 Server Product Guide - <https://lenovopress.lenovo.com/lp1601.pdf>

Lenovo ThinkSystem SR630 V3 Server Product Guide - <https://lenovopress.lenovo.com/lp1600.pdf>

For more information on Lenovo VDI solutions for VMware Horizon, please check out the following technical documentation.

Reference Architecture: Lenovo Client Virtualization with VMware Horizon on ThinkSystem and ThinkAgile VX Servers - <https://lenovopress.lenovo.com/lp0663.pdf>

VMware Horizon Architecture and Planning Guide - <https://docs.vmware.com/en/VMware-Horizon/2103/horizon-architecture-planning.pdf>

Related product families

Product families related to this document are the following:

- [ThinkAgile VX Series for VMware](#)
- [ThinkSystem SR630 V3 Server](#)
- [ThinkSystem SR650 V3 Server](#)
- [VMware Alliance](#)

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.

Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2024. All rights reserved.

This document, LP1908, was created or updated on March 20, 2024.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP1908>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP1908>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkAgile®

ThinkSystem®

XClarity®

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Linux® is the trademark of Linus Torvalds in the U.S. and other countries.

Microsoft®, Microsoft Edge, and Windows® are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.