ThinkSystem SR650 V4 Sets Leadership World Record with New SAP Q2C 4 units Benchmark Result

Performance Benchmark Result

The Lenovo ThinkSystem SR650 V4, using two Intel Xeon Platinum 6787P processors, has set a world record on SAP's new Quote-to-Cash (Q2C) benchmark. The server has achieved best performance in the industry with the SAP Q2C benchmark using 40M initial documents.

A Q2C landscape consists of three components:

- SAP HANA database (scaleup or scaleout landscape) including a shipped HANA backup with Q2C content
- SAP ABAP application server(s) based on S/4HANA 2021 (ABAP Kernel: 789 PL201)
- Q2C driver (OS environment with tools for simulating the SAP GUI frontend)

The ThinkSystem SR650 V4 server achieved the following certified Q2C performance result (1):

- **121,000 aSAPS (Advanced SAPS)** with 40 million initial documents (2-tier)
- Throughput:
  - 2,420,198 fully processed order line items per hour
  - 8,228,676 dialog steps per hour
  - 24,160 SAP Q2C benchmark users
  - 0.57s average dialog response time

This is the first Q2C result published on SAP benchmark website.

The ThinkSystem SR650 V4 server that achieved this record level of SAP performance was configured in a 2-tier configuration as follows:

- 2x Intel Xeon Platinum 6787P 86-core 2.00GHz processors
  - 2 processors, 172 cores, 344 threads in total
  - 112 KB L1 cache and 2048 KB L2 cache per core, 336 MB L3 cache per processor
- 2,048 GB of Lenovo TruDDR5 memory - 16 x 128GB DDR RDIMM, 6400MT/s
- SUSE Linux Enterprise Server 15 SP5
- SAP HANA 2.0 Revision 82
- SAP S/4HANA Server 2021

Results referenced are current as of April 11, 2025. For the latest SAP Q2C benchmark results, visit: https://www.sap.com/dmc/exp/2018-benchmark-directory/#/q2c.

(1) This benchmark fully complies with the SAP Benchmark Council regulations and has been audited and certified by SAP SE. Details are available at https://www.sap.com/dmc/benchmark/2025/Cert25002.pdf.

The benchmark was performed in Bucharest, Romania by Lenovo engineers.

About the ThinkSystem SR650 V4

The Lenovo ThinkSystem SR650 V4 is an ideal 2-socket 2U rack server for customers that need industry-leading reliability, management, and security, as well as maximizing performance and flexibility for future growth. The SR650 V4 is based on two Intel Xeon 6700-series or Xeon 6500-series processors, with Performance-cores (P-cores).

The SR650 V4 is designed to handle a wide range of workloads, such as databases, virtualization and cloud computing, virtual desktop infrastructure (VDI), infrastructure security, systems management, enterprise applications, collaboration/email, streaming media and web.

Combining performance and flexibility, the SR650 V4 server is a great choice for enterprises of all sizes. The server offers a broad selection of drive and slot configurations and offers numerous high-performance features. Outstanding reliability, availability, and serviceability (RAS) and high-efficiency design can improve your business environment and can help save operational costs, read RAS Features of the Lenovo ThinkSystem Intel Servers.

About SAP Q2C Quote-To-Cash

Q2C (Quote-to-Cash) is a load test tool used to execute a representative modern-day production SQL load on S/4HANA. The load simulation is a balanced mix of a transactional order-to-cash workload (OLTP) with a reporting component (OLAP).

For benchmarking, it is used with the Q2C scenario in a 2-tier environment, where SAP HANA and ABAP application server components are running on the same server.

Q2C results are reported in aSAPS (Advanced SAPS), where 100 aSAPS is defined as 2,000 fully business processed order line items per hour in combination with the throughput of 2 OLAP queries per hour. SAP Q2C is therefore using an advanced throughput metric which contains OLTP and OLAP to calculate aSAPS. For further information on SAPS and aSAPS, see https://www.sap.com/about/benchmark/measuring.html.

Q2Ctest result metrics include a throughput number (business transactions per hour - tph) as well as database request times (in ms) for transactional (OLTP) and analytical (OLAP) components of the workload, and the system's CPU load (utilization). All numbers are averages over an interval of constant high load. The typical main goal in the load test is to increase the concurrent number of users until the throughput gets to a saturation point. It is also possible to compare database request times for similar setups, but this requires a low or medium load.

For more information about the benchmark, see https://www.sap.com/about/benchmark/appbm/q2c.html.

Learn more

To learn more about SAP solutions on Lenovo servers visit the following page:
https://www.lenovo.com/us/en/data-center/solutions/sap/

To learn more about the Lenovo ThinkSystem SR650 V4 server, visit the SR650 V4 product web page:
https://www.lenovo.com/us/en/p/servers-storage/servers/racks/lenovo-thinksystem-sr650-v4/len21ts0042

Related product families

Product families related to this document are the following:

- SAP Alliance
- SAP Q2C Benchmark Results
- ThinkSystem SR650 V4 Server

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION ”AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2026. All rights reserved.

This document, LP2186, was created or updated on April 14, 2025.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
  https://lenovopress.lenovo.com/LP2186
- Send your comments in an e-mail to:
  comments@lenovopress.com

This document is available online at https://lenovopress.lenovo.com/LP2186.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at https://www.lenovo.com/us/en/legal/copytrade/.

The following terms are trademarks of Lenovo in the United States, other countries, or both:
Lenovo®
ThinkSystem®

The following terms are trademarks of other companies:

Intel®, the Intel logo and Xeon® are trademarks of Intel Corporation or its subsidiaries.

Linux® is the trademark of Linus Torvalds in the U.S. and other countries.

Other company, product, or service names may be trademarks or service marks of others.